




PARTS INDEX

	PAGE
2085 - 2085S H-FRAME, YOKE, BUCKET	21
2080 - 2080S H-FRAME, YOKE, BUCKET	23
EZEE-A-TACH SYSTEM	24
HYDRAULIC SYSTEM	25
CYLINDER PARTS LIST	28
CYLINDER SEAL KITS	34

PAINT & DECALS

PART NO.	DESCRIPTION	QTY. REQ'D
DF13002	EZEE-ON DECAL - 2-1/2" x 15-1/2"	3
A75764	READ MANUAL DECAL - 2-5/16" X 4-1/2"	1
L3216	FALLING LOAD DECAL - 5" X 4-1/4"	3
L3300	2080 DECAL - 1-1/16" x 7-7/8"	3
L3400	2080s DECAL - 2-3/4" X 10-3/4"	3
L3312	2085 DECAL - 1-1/16" x 7-7/8"	3
L3401	2080s DECAL - 2-3/4" X 10-3/4"	3
L014/L017	CAUTION DECAL	2
L015	BLACK PAINT - 1 QT. CAN	*
L016	BLACK PAINT - 1/2 PINT CAN	*

* as required






MODEL 2085-2085s

MODEL 2085-2085S LOADER PARTS LIST

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3411 LB3410 LB3409 LB3408	2085S-1 Yoke Assembly - Narrow Yoke c/w pins 2085S-2 Yoke Assembly - Wide Yoke c/w pins 2085S-3 Yoke Assembly - Extra Wide Yoke c/w pins 2085S-4 Yoke Assembly - Super Wide Yoke c/w pins	1 1 1 1
	LB3315 LB3316 LB3314 LB3315	2085-1 Yoke Assembly -Narrow Yoke c/w pins 2085-2 Yoke Assembly - Wide Yoke c/w pins 2085-3 Yoke Assembly - Extra Wide Yoke c/w pins 2085-4 Yoke Assembly - Super Wide Yoke c/w pins	1 1 1 1
2	LB3565 LB3510	2085S Main Frame Assembly c/w pins 2085 Main Frame Assembly c/w pins	1 1
3	LB3418 LB3415 LB3416 ---	60" Bucket Assembly c/w 4 pins (Std) 72" Bucket Assembly c/w 4 pins (Std) 84" Bucket Assembly c/w 4 pins (Std) For 96" Bucket see Ezee-A-Tach System on page 25 - order 96" Ezee-A-Tach Bucket and Carrier frame	1 1 1 1
Back of Bucket	L3419	Bucket Attaching Lug- Weld-On - Square Back Bucket - Order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and prior	4
Back of Bucket	L 3420	Bucket Attaching Lug- Weld-On - Slope Back Bucket - Order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used after 1996	4
4	L41 L42 L43 L1638	60" Bucket Blade - Weld-On 72" Bucket Blade - Weld-on 84" Bucket Blade - Weld-on 96" Bucket Blade - Weld-on	1 1 1 1
5	L1680 L51	Short Corner Bucket Tooth, used with standard teeth Short Corner Bucket Tooth, used with extra long teeth	as req'd as req'd
6	L51 L43	Bucket Tooth - Std Bucket Tooth - Extra Long	as req'd as req'd
7	LA2270	Outside Pivot Arm	2
8	L2271	Inside Pivot Arm	2
9	LA3211	Bucket Push Arm	2
10	LA3425 LA3322	2085S Self-Levelling Arm Assembly 2085 Self-Levelling Arm Assembly	2 1
11	LA3429 LA3430	Self-Levelling Pivot Bracket L.H. Side Self-Levelling Pivot Bracket R.H. Side	1 1
12	LA3432	Rod - Bucket Level Indicator - 2085-2085S	1
13	LA2279	Indicator Only - Bucket Level Indicator - used 1997 and prior - order part nos. L3247 and L3248	1
14	L885	1" X 4-11/16"*** Hex Head Pin - Yoke	8
15	L2266	1" x 5-1/2"*** Hex Head Pin	4
16	L3426 L3427	1" x 6" N.C. Hex Bolt - Drilled for cotter and grease fitting - used 1998 and prior 1" x 6" N.C. Hex Bolt - Drilled for grease fitting - used after 1998	2 2
17	L1587 L3222	1" x 6" Hex Bolt - Special Thread - Drilled for cotter - Used 1998 and prior 1" x 6" N. C. Hex Bolt - Special Threaded - Used after 1998	4 4
18	L89 L3299	1" x 7" Hex Bolt - Drilled for cotter - Used 1998 and prior 1" x 7" N. C. Hex Bolt - Special Threaded - Used after 1998	2 2
19	L1574 BN100SL	1" N. C. Slotted Hex Nut - Used 1998 and prior with drilled bolt - order part no. BN100SL 1" N. C. Steel Locknut	8 8
20	L57	7/16" x 2-1/4" N. C. Carriage Bolts	16-20-22
21	---	7/16" N.C. Hex Nut	16-20-22
22	---	7/16" Lockwashers	16-20-22
23	---	1/4" x 1-1/2" Cotter Pin	12
24	10GN1	1/4" - 28 Grease Fitting	18
25	---	3/8" x 1/2" N.C. Set Screw - used 1997 and prior	1
26	---	3/8" Flatwasher	1
27	---	5/32" x 3/4" Cotter Pin	1
28	--	1/4" x 1-1/2" Cotter Pin- used with slotted nut only 1998 and prior	2
29	L 3247	3/8" Cable Clamp c/w nuts - used after 1997	1
30	L3248	Indicator Only - Bucket level indicator - Used after 1997	1

** pin length measured from under head to centre of cotter pin hole




MODEL 2080-2080s

MODEL 2080S-2080 LOADER PARTS LIST


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB3448	2080S-1 Yoke Assembly - Narrow Wide Yoke c/w pins	1
	LB3447	2080S-2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3446	2080S-3 Yoke Assembly - Extra Wide Yoke c/w pins	1
	LB3445	2080S-4 Yoke Assembly - Super Wide Yoke c/w pins	1
	LB3350	2080-1 Yoke Assembly - Narrow Yoke c/w pins	1
	LB3351	2080 -2 Yoke Assembly - Wide Yoke c/w pins	1
	LB3349	2080-3 Yoke Assembly - Extra Wide Yoke c/w pins	1
	LB3348	2080-4 Yoke Assembly - Super Wide Yoke c/w pins	1
2	LB3582	2080S Main Frame Assembly c/w pins	1
	LB3520	2080 Main Frame Assembly c/w pins	1
3	LB3452	60" Bucket Assembly c/w 4 pins (std)	1
	LB3453	72" Bucket Assembly c/w 4 pins (std)	1
	LB3454	84" Bucket Assembly c/w 4 pins (std)	1
	---	For 96" Bucket see Ezee-A-Tach System on page 25. order 96" Ezee-A-Tach Bucket and Carrier frame assembly	
Back of Bucket	L3457	Bucket Attaching Lug - Weld-On - Square Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used 1996 and prior	4
Back of Bucket	L3458	Bucket Attaching Lug - Weld-On - Slope Back Bucket - order (2) 1/2" x 2" dia. round hole washers #L2264 or (2) 1/2" x 2" hex. hole washers #L2263 - used after 1996	4
4	L41	60" Bucket Blade - Weld-On	1
	L42	72" Bucket Blade - Weld-On	1
	L43	84" Bucket Blade - Weld-On	1
	L1638	96" Bucket Blade - Weld-On	1
5	L1680	Short Corner Bucket Tooth, used with extra long teeth	as req'd
	L51	Short Corner Bucket Tooth, used with standard teeth	as req'd
6	L51	Bucket Tooth (Std)	as req'd
	L52	Bucket Tooth (Extra Long)	as req'd
7	LA3432	Rod - Bucket Level Indicator (2080S-2080)	1
8	LA2279	Indicator Only - Bucket Level Indicator - used 1997 and prior - order part nos. L3247 and L3248	1
9	L885	1" x 4-11/16"*** Hex Head Pin	8
10	L2266	1" x 5-1/2" ** Hex Head Pin	4
11	L57	7/16" x 2-1/2" N. C. Carriage Bolts	16-20-22
12	---	7/16" N.C. Hex Nut	16-20-22
13	---	7/16" Lockwashers	16-20-22
14	---	1/4" x 1-1/2" Cotter Pin	12
15	10GN1	1/4" - 28 Grease Fitting	18
16	---	3/8" x 1/2" N.C. Set Screw - used 1997 and prior	1
17	---	3/8" Flatwasher	1
18	---	5/32" x 3/4" Cotter Pin	1
19	L3247	3/8" Cable Clamp - used after 1997	1
20	L3248	Indicator Only - Bucket Level Indicator - used after 1997	1

** Pin length measured from under head to centre of cotter pin hole




EZEE-A-TACH SYSTEM - (Optional)

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LB2514	Model 2085-2085S Loader Ezee-A-Tach Carrier c/w attaching pins and locking pins	1
	LB2513	Model 2080-2080S Loader Ezee-A-Tach Carrier c/w attaching pins and locking pins	1
2	LA2508	Ezee-A-Tach Bracket - R.H. Side - Weld-On	1
	LA2509	Ezee-A-Tach Bracket - L.H. Side - Weld-On	1
3	LA2507	Locking Pin	2
4	L2510	Locking Pin Spring	2
5	L2511	Roll Pin	2
6	L2266	1" x 5-1/2" Hex Head Pin - pin lengths measured from under head to centre of cotter pin hole	4
7	---	1/4" x 1-1/2" Cotter Pin	4
8	---	5/8" x 4" N.C. Hex Bolt - Used 1998 and prior	1
	---	3/8" x 3-1/2" N.C. Hex Bolt - Used after 1998	1
9	---	5/8" N.C. Hex Nut - Used 1998 and prior	1
	---	3/8" N.C. Hex Nut - Used after 1998	1
10	---	5/8" Lockwasher - Used 1998 and prior	1
	---	3/8" Lockwasher - Used after 1998	1
11	LA2533	72" Ezee-A-Tach Bucket - Less Teeth	*
	LA2534	84" Ezee-A-Tach Bucket - Less Teeth	*
	LA2535	96" Ezee-A-Tach Bucket - Less Teeth	*
12	L2555	U-Bracket - (weld-on)	2




**MODEL 2080-2080S HYDRAULIC SYSTEM
(FOR MODELS PRIOR TO SERIAL NO. 45200)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	279, 313	Lift Cylinder - See Cylinder Parts List instructions on page 28	2
2	272, 285	Bucket Cylinder - 2080S-2080 - See Cylinder Parts List instructions on page 28	2
3	L3325	Bottom 1 Hydraulic Oil Line (2080)	1
	L3434	Bottom 1 Hydraulic Oil Line (2080S)	1
4	L3326	Bottom 2 Hydraulic Oil Line (2080)	1
	L3435	Bottom 2 Hydraulic Oil Line (2080S)	1
5	L3327	Bottom 3 Hydraulic Oil Line (2080)	1
	L3436	Bottom 3 Hydraulic Oil Line (2080S)	1
6	L3328	Bottom 4 Hydraulic Oil Line (2080)	1
	L3437	Bottom 4 Hydraulic Oil Line (2080S)	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	DL29	3/8" Female Swivel	2
10	L1619	3/8" Male-Female Swivel Adapter	2
11	DL9769	3/8" x 90 degree Swivel Street Elbow	4
12	DL5284	3/8" x 90 Degree Swivel Elbow (Female-Female)	2
13	L2927	3/8" x 28" Hydraulic Hose	1
14	L2930	3/8" x 31" Hydraulic Hose	1
15	L2973	3/8" x 34" Hydraulic Hose	2
16	L2912	3/8" x 60" Hydraulic Hose - Model 2080	2
	L3014	3/8" x 32" Hydraulic Hose - Model 2080S	2
17	L3015	3/8" x 71" Hydraulic Hose - Model 2080	2
	L3016	3/8" x 63" Hydraulic Hose - Model 2080S	2



**MODEL 2080-2080S HYDRAULIC PARTS LIST
(FOR MODELS WITH SERIAL NO #45200 & UP)**

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	313	Lift Cylinder - See Cylinder Parts List instructions on page 28	2
2	310	Bucket Cylinder - (2080S-2080) See Cylinder Parts List instructions on page 28	2
3	L3325	Bottom 1 Hydraulic Oil Line (2080)	1
	L3434	Bottom 1 Hydraulic Oil Line (2080s)	1
4	L3326	Bottom 2 Hydraulic Oil Line (2080)	1
	L3435	Bottom 2 Hydraulic Oil Line (2080s)	1
5	L3327	Bottom 3 Hydraulic Oil Line (2080)	1
	L3436	Bottom 3 Hydraulic Oil Line (2080s)	1
6	L3328	Bottom 4 Hydraulic Oil Line (2080)	1
	L3437	Bottom 4 Hydraulic Oil Line (2080s)	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	L1619	3/8" Male-Female Swivel Adapter	4
10	DL9769	3/8" x 90 degree Swivel Street Elbow	4
11	L2927	3/8" x 28" Hydraulic Hose (Model 2080S-2080)	2
12	L2930	3/8" x 31" Hydraulic Hose (Model 2080S-2080)	2
13	L2945	3/8" x 48" Hydraulic Hose (Model 2080S-2080)	2
14	L2912	3/8" x 60" Hydraulic Hose (Model 2080)	2
	L3014	3/8" x 32" Hydraulic Hose (Model 2080S)	2
15	L3015	3/8" x 71" Hydraulic Hose (Model 2080)	2
	L3016	3/8" x 63" Hydraulic Hose (Model 2080S)	2



MODEL 2085-2085S HYDRAULIC PARTS LIST

REF. NO.	PART. NO.	DESCRIPTION	QTY. REQ'D
1	279, 313	Lift Cylinder - See Cylinder Parts List instructions on page 28	2
2	280	Bucket Cylinder - (2085S-2085) See Cylinder Parts List instructions on page 28	2
3	L3325	Bottom 1 Hydraulic Oil Line (2085)	1
4	L3434	Bottom 1 Hydraulic Oil Line (2085S)	1
	L3326	Bottom 2 Hydraulic Oil Line (2085)	1
	L3435	Bottom 2 Hydraulic Oil Line (2085S)	1
5	L3327	Bottom 3 Hydraulic Oil Line (2085)	1
	L3436	Bottom 3 Hydraulic Oil Line (2085S)	1
6	L3328	Bottom 4 Hydraulic Oil Line (2085)	1
	L3437	Bottom 4 Hydraulic Oil Line (2085S)	1
7	DL5280	3/8" Connector Union	4
8	DL5282	3/8" x 3/8" x 3/8" Tee	4
9	DL9769	3/8" x 90 degree Swivel Street Elbow	4
10	DL5284	3/8" x 90 degree Swivel Elbow - (Female - Female)	2
11	L2927	3/8" x 28" Hydraulic Hose	2
12	L2930	3/8" x 31" Hydraulic Hose	2
13	L2912	3/8" x 60" Hydraulic Hose (Model 2085)	2
	L3014	3/8" x 32" Hydraulic Hose (Model 2085S)	2
14	L3015	3/8" x 71" Hydraulic Hose (Model 2085)	2
	L3016	3/8" x 63" Hydraulic Hose (Model 2085S)	2
15	L1619	3/8" Male-Female Swivel Adapter	2

EZEE-ON LOADER CYLINDER PARTS LIST

1. Identify cylinder code number by matching up diameter, stroke, application and type from list below.
2. Once the code number has been established then locate cylinder parts list further in book and use correct reference number and cylinder code column to locate part number.

EZEE-ON CYLINDER PART NUMBER CODE

10 WS 1


Part Number

Part Description, Wiper Seal Kit

10 - Means Fits Many Sizes of Cylinders
 30 - Means Used Most Commonly on 3" Cylinders

MODEL 2080S-2085S-2080-2085 CYLINDER SPECIFICATIONS


CODE	DIAMETER	STROKE	C-C LENGTH	SHAFT DIAMETER	TYPE	APPLICATION	PARTS LIST PAGE NUMBER
272	3"	18"	26-1/2"	1-1/2"	N4 w/oil line port	Bucket - 2080-2080S	29
285	3"	18"	26-1/2"	1-1/2"	N6 w/oil line port & 1-1/2" O.D. cross tube	Bucket - 2080-2080S	30
280	3"	19-1/2"	33-1/8"	1-1/2"	N4	Bucket - 2085-2085S	33
279	3"	27"	35-1/2"	1-1/2"	N4	Lift	34
313	3"	27"	35-1/2"	1-1/2"	N6	Lift	35
310	3"	18"	26-1/2"	1-1/2"	N6 w/90 deg. port & 1-3/4" O.D. Cross Tube	Bucket - 2080-2080S	32
315	3"	18"	26-1/2"	1-1/2"	N6 w/oil line port & 1-3/4" O.D. cross tube	Bucket - 2080-2080S	31



**HYDRAULIC LIFT CYLINDER - N4 TYPE W/OIL LINE PORT
MODEL 2080-2080S
(FOR MODELS PRIOR TO SERIAL NO. 40100)**

REF NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			272
1	30TU10	Tube Assembly - 3" x 18"	1
2	10SH14	Shaft - 1-1/2" x 18" w/ 1" Stub	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cup - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP9	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - (N4 type)	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 36 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - Model 2080-2080S
N6 TYPE (w/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO# from 40100 to 43155)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			285
1	30TU28	Tube Assembly - 3" x 18" - w/oil Line Port & 1-1/2" O.D. Cross Tube	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 3" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 36 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - Model 2080-2080S
N6 TYPE (w/OIL LINE PORT)
(FOR MODELS WITH SERIAL NO. From 43156 to 45146)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			315
1	30TU35	Tube Assembly - 3" x 18" - w/oil line ports - 1-3/4" O.D. Cross tube	1
2	10SH14	Shaft - 1-1/2" x 18" w/1" Stub	1
3	10OR21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Plunger Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	10OR3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP14	Head Plate - 1-1/2" Shaft w/Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustrations on page 36 to help determine cylinder type.



HYDRAULIC BUCKET CYLINDER - MODEL 2080-2080S
N6 TYPE - (W/90 DEGREE PORT)
(FOR MODELS WITH SERIAL NO. 45146 & UP)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			310
1	30TU36	Tube Assembly - 3" x 18" - w/ 90 deg. port and 1-3/4" O.D. Cross Tube	1
2	10SH14	Shaft - 1-1/2" x 18" - w/1" Stub	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	100R3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - 2-5/8" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2


Refer to illustration on page 36 to help determine cylinder type.



**HYDRAULIC BUCKET CYLINDER - N4 TYPE
MODEL 2085-2085S**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			280
1	30TU25	Tube Assembly - 3" x 19-1/2" (2085-2085S)	1
2	10SH43	Shaft - 1-1/2" x 19-1/2" w/ 1" Stub (2085-2085S)	1
3	100R21	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU4	1" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP9	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove- (N4 type)	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28" Grease Fitting	2


Refer to illustration on page 36 to help determine cylinder type.



HYDRAULIC LIFT CYLINDER - N4 TYPE
MODEL 2080-2080s-2085-2085s
(FOR MODELS PRIOR TO SERIAL NO. 40695)

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			279
1	30TU35	Tube Assembly - 3" x 27" - N4 Type	1
2	10SH14	Shaft - 1-1/2" x 27" - w/3/4" Stub	1
3	100R9	O-Ring - 3/4" I.D. x 7/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU5	3/4" N.F. Locking Nut	1
8	100R27	O-Ring - 2-5/8" I.D. x 3" O.D. - 90 Durometer	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - (N4 Type)	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1"	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2

Refer to illustration on page 36 to help determine cylinder type.



**HYDRAULIC LIFT CYLINDER - N6 TYPE
MODEL 2080-2080s-2085-2085s
(FOR MODELS WITH SERIAL NO. 40695 & UP)**

REF. NO.	PART NO.	DESCRIPTION	CYLINDER CODE
			313
1	30TU35	Tube Assembly - 3" x 27" - N6 Type	1
2	10SH9	Shaft - 1-1/2" x 27" - w/3/4" Stub	1
3	100R9	O-Ring - 1" I.D. x 1-1/8" O.D.	1
4	30CU2	U-Cups - 2-1/2" I.D. x 3" O.D. x 3/8"	2
5	30PB2	Piston Block - 3"	1
6	30WR1	3" Wear Ring - 2-3/4" I.D. x 3" O.D. x 3/8"	1
7	10NU5	3/4" N.F. Locking Nut	1
8	100R3	O-Ring - 2-5/8" I.D. x 3" O.D.	1
9	30HP11	Head Plate - 1-1/2" Shaft w/ Wear Ring Groove - 3" Under Head Length	1
10	10WR1	Head Plate Wear Ring - 1-1/2" I.D. x 1-3/4" O.D. x 1" Wide	1
11	10RS1	Rod Seal - 1-1/2" I.D. x 1-7/8" O.D. x 3/8"	1
12	10WS1	Wiper Seal - 1-1/2" I.D. x 2-1/8" O.D. x 3/16"	1
13	10GN1	1/4" - 28 Grease Fitting	2

Refer to illustration on page 36 to help determine cylinder type.

EZEE-ON CYLINDER REPAIR SEAL KIT CODES

CODE 30 = 3" BORE

PART NO. 3015HR - N4

N4 - Thread Type Head

HR = Wear Ring in Head and Piston

15 = 1-1/2" Shaft

CYLINDER SEAL KITS

KIT NO.	CONTENTS			FITS CYLINDER CODE NO.
3015HR-N4-P	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	272
	1 -	10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	279
	1 -	10WR1	1-1/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal	280
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	
	1 -	10WR1	1-1/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	
	1 -	100R27	2-5/8" I.D. x 3" O.D. O-Ring - 90 Durometer	
	1 -	100R21	1" I.D. x 1-1/8" O.D. O-Ring	
	1 -	100R9	3/4" I.D. x 7/8" O.D. O-Ring	
3015HR-N6	2 -	30CU2	2-1/2" I.D. x 3" O.D. x 3/8" U-Cup	285
	1 -	10RS1	1-1/2" I.D. x 1-7/8" O.D. x 3/8" Rod Seal	310
	1 -	10WS1	1-1/2" I.D. x 1-7/8" O.D. x 3/16" Wiper Seal	313
	1 -	30WR1	2-3/4" I.D. x 3" O.D. x 3/8" Wear Ring	310
	1 -	10WR1	1-1/2" I.D. x 1-3/4" O.D. x 1" Wear Ring	315
	1 -	100R3	2-5/8" I.D. x 3" O.D. O-Ring	
	1 -	100R21	1" I.D. x 1-1/8" O.D. O-Ring	
	1 -	100R9	3/4" I.D. x 7/8" O.D. O-Ring	

HEAD TYPE IDENTIFICATION

