


8700 DISC PARTS INDEX

	PAGE
Frame & Gang Beam Assembly	57
Decals and Paint	58
Hitch & Leveling Crank Assembly	58
Rockshaft & Wheel Assembly - w/Main Frame Walking Beam	59
Rockshaft & Wheel Assembly - w/Off Highway Tires	60
Hydraulic Assembly - Narrow Wing	61
Hydraulic Assembly - Wide Wing	62
Disc Gang- Standard Bearing Hangers For T2-215 Bearings	63
Disc Gang- Standard Bearing Hangers For T2-215 Bearings With Interlocking Half Spools	64
Stone Flex Hanger For T2-215 Series Bearings (Optional)	65
Scraper & Scraper Bar Assembly	66
Light Bracket Assembly	70
Rockshaft Cylinders	71
Wing Lift Cylinder - 4" x 36" & 5" x 36" Cylinders	72
Seal Kit	73

MODEL 8700 DISC




FRAME & GANG BEAM ASSEMBLY

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D	REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D		
1	DF13018	L.H. Main Frame half less rockshaft bearing cap & spring cushion assembly	1	11	DG13176 DG13177 DG13060 DG13061 DG13062 DG13063 DG13064 DG13172	9" (230mm) SPACING			
2	DF13019	R.H. Main Frame half less rockshaft bearing caps	1			L.H. Rear Wing Gang Beam (Solid Type) - 89" (2260mm) long	*		
3	DF13020	L.H. Wide Wing Frame - 85" (2159mm) overall width less cylinder lug I-bolt, & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 97" (2463mm) long	*		
	DF13021	L.H. Narrow Wing Frame - 42-1/2" (1080mm) overall width less cylinder lug I-bolt & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 107" (2718mm) long	*		
	DF13139	L.H. Super Narrow Wing Frame - 29-1/4" (742mm) overall width less cylinder lug I-bolt & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*		
4	DF13022	R.H. Wide Wing Frame - 85" (2159mm) overall width less cylinder lug I-bolt & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 153" (3886mm) long	*		
	DF13023	R.H. Narrow Wing Frame - 42-1/2" (1080mm) overall width less cylinder lug I-bolt & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 173" (4394mm) long	*		
	DF13138	R.H. Super Narrow Wing Frame - 29-1/4" (742mm) overall width less cylinder lug I-bolt & wing lift cylinder pins	1			L.H. Rear Wing Gang Beam (Solid Type) - 181" (4597mm) long	*		
5	DG13024	L.H. Front Main Frame Gang Beam - 86-1/2" (2197mm) long	1			DG13178	L.H. Rear Wing Gang Beam (Solid Type) - 188" (4775mm) long	*	
	DG13025	R.H. Front Main Frame Gang Beam - 86-1/2" (2197mm) long	1			DG13179	L.H. Rear Wing Gang Beam (Solid Type) - 100" (2540mm) long	*	
	DG13026	L.H. Rear Main Frame Gang Beam - 69-1/2" (1765mm) long	1			DG13066	L.H. Rear Wing Gang Beam (Solid Type) - 113" (2870mm) long	*	
	8	DG13027	R.H. Rear Main Frame Gang Beam - 69-1/2" (1765mm) long			1	DG13061	L.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*
							DG13067	L.H. Rear Wing Gang Beam (Solid Type) - 156" (3962mm) long	*
9	DG13142 DG13143 DG13028 DG13029 DG13036 DG13031 DG13043 DG13170	9" (230mm) SPACING	*	DG13068	L.H. Rear Wing Gang Beam (Solid Type) - 178" (4521mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 62" (1574mm) long	*	DG13069	L.H. Rear Wing Gang Beam (Solid Type) - 189" (4801mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 70" (1778mm) long	*	DG13173	L.H. Rear Wing Gang Beam (Solid Type) - 197" (5004mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 79" (2007mm) long	*						
		L.H. Front Wing Gang Beam (Solid Type) - 107" (2718mm) long	*	DG13181	L.H. Rear Wing Gang Beam (Solid Type) - 90" (2286mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 128" (3251mm) long	*	DG13182	L.H. Rear Wing Gang Beam (Solid Type) - 97" (2464mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 145" (3683mm) long	*	DG13071	L.H. Rear Wing Gang Beam (Solid Type) - 110" (2794mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 154" (3912mm) long	*	DG13183	L.H. Rear Wing Gang Beam (Solid Type) - 123" (3124mm) long	*			
	DG13144 DG13146 DG13034 DG13029 DG13036 DG13037 DG13038 DG13170	10-1/2" (267mm) SPACING	*	DG13061	L.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 64" (1626mm) long	*	DG13072	L.H. Rear Wing Gang Beam (Solid Type) - 160" (4064mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*	DG13063	L.H. Rear Wing Gang Beam (Solid Type) - 173" (4394mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 85" (2159mm) long	*	DG13073	L.H. Rear Wing Gang Beam (Solid Type) - 186" (4724mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 107" (2718mm) long	*	DG13074	L.H. Rear Wing Gang Beam (Solid Type) -195" (4953mm) long	*			
		L.H. Front Wing Gang Beam (Solid Type) - 128" (3251mm) long	*						
		L.H. Front Wing Gang Beam (Solid Type) - 150" (3810mm) long	*						
10	DG13147 DG13148 DG13028 DG13149 DG13040 DG13041 DG13042 DG13043 DG13044	12" (305mm) SPACING	*	12	DG13187 DG13188 DG13075 DG13076 DG13077 DG13078 DG13079 DG13174	9" (230mm) SPACING			
		L.H. Front Wing Gang Beam (Solid Type) - 62" (1574mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 89" (2260mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 97" (2463mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 79" (2007mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 107" (2718mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 92" (2337mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 104" (2542mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 153" (3886mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 173" (4394mm) long	*		
		L.H. Front Wing Gang Beam (Solid Type) - 142" (3607mm) long	*			R.H. Rear Wing Gang Beam (Solid Type) - 181" (4597mm) long	*		
	DG13160 DG13161 DG13045 DG13046 DG13047 DG13048 DG13049 DG13171	9" (230mm) SPACING	*	DG13174	R.H. Rear Wing Gang Beam (Solid Type) - 188" (4775mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 62" (1574mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 70" (1778mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 79" (2007mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 107" (2718mm) long	*	DG13189	L.H. Rear Wing Gang Beam (Solid Type) - 90" (2286mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 128" (3251mm) long	*	DG13192	R.H. Rear Wing Gang Beam (Solid Type) - 100" (2540mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 145" (3683mm) long	*	DG13080	R.H. Rear Wing Gang Beam (Solid Type) - 113" (2870mm) long	*			
11	DG13165 DG13166 DG13051 DG13046 DG13052 DG13053 DG13054 DG13171	10-1/2" (267mm) SPACING	*	DG13076	R.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 64" (1626mm) long	*	DG13081	R.H. Rear Wing Gang Beam (Solid Type) - 156" (3962mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*	DG13082	R.H. Rear Wing Gang Beam (Solid Type) - 178" (4521mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 85" (2159mm) long	*	DG13083	R.H. Rear Wing Gang Beam (Solid Type) - 189" (4801mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 107" (2718mm) long	*	DG13175	R.H. Rear Wing Gang Beam (Solid Type) - 197" (5004mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 128" (3251mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 150" (3810mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 161" (4089mm) long	*						
	DG13167 DG13168 DG13045 DG13169 DG13055	12" (305mm) SPACING	*						
		R.H. Front Wing Gang Beam (Solid Type) - 62" (1574mm) long	*	DG13193	R.H. Rear Wing Gang Beam (Solid Type) - 85" (2159mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*	DG13194	R.H. Rear Wing Gang Beam (Solid Type) - 97" (2464mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 79" (2007mm) long	*	DG13085	R.H. Rear Wing Gang Beam (Solid Type) - 110" (2794mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 92" (2337mm) long	*	DG13195	R.H. Rear Wing Gang Beam (Solid Type) - 123" (3124mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 104" (2542mm) long	*	DG13086	R.H. Rear Wing Gang Beam (Solid Type) - 135" (3429mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*	DG13087	R.H. Rear Wing Gang Beam (Solid Type) - 160" (4064mm) long	*			
12	DG13056 DG13057 DG13058 DG13059	10-1/2" (267mm) SPACING	*	DG13078	R.H. Rear Wing Gang Beam (Solid Type) - 173" (4394mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 64" (1626mm) long	*	DG13088	R.H. Rear Wing Gang Beam (Solid Type) - 186" (4724mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*	DG13089	R.H. Rear Wing Gang Beam (Solid Type) -195" (4953mm) long	*			
		R.H. Front Wing Gang Beam (Solid Type) - 85" (2159mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 107" (2718mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 128" (3251mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 150" (3810mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 166" (4216mm) long	*						
	DG13056 DG13057 DG13058 DG13059	12" (305mm) SPACING	*	13	DFA5041	Rockshaft Bearing Cap - plain, non-reinforced type	3		
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*	14	DR5259	Rockshaft Bearing Liner Half	6		
		R.H. Front Wing Gang Beam (Solid Type) - 142" (3607mm) long	*	15	DFA9564	1-1/4" (32mm) N.C. I-Bolt Cylinder Lug	2		
		R.H. Front Wing Gang Beam (Solid Type) - 155" (3937mm) long	*		DW13339	1-1/4" (32mm) N.C. I-Bolt Cylinder Lug used w/15.0/55-17 Tires on M/Frame	2		
		R.H. Front Wing Gang Beam (Solid Type) - 166" (4216mm) long	*						
				16	DC9615	11" (279mm) Long Compression Spring	1		
				17	DFAI0536	Spring Cushion Plate	1		
13	DG13056 DG13057 DG13058 DG13059	10-1/2" (267mm) SPACING	*	18	DG13009	1-1/2" (38.1mm) Dia. x 5" (127mm) (Under Head) Wing Hinge Pin	1		
		R.H. Front Wing Gang Beam (Solid Type) - 64" (1626mm) long	*	19	B100140	1" (25.4mm) x 14" (356mm) N.C. Hex Bolt	4		
		R.H. Front Wing Gang Beam (Solid Type) - 72" (1828mm) long	*	20	B125035	1-1/4" (31.7mm) x 3-1/2" (88.9mm) N.C. Hex Bolt	12		
		R.H. Front Wing Gang Beam (Solid Type) - 79" (2007mm) long	*	21	B100325	1" (25.4mm) x 3-1/4" (82.6mm) N.C. Hex Bolt	32		
		R.H. Front Wing Gang Beam (Solid Type) - 92" (2337mm) long	*	22	B075025	3/4" (19mm) x 2-1/2" (63.5mm) N.C. Hex Bolt	6		
		R.H. Front Wing Gang Beam (Solid Type) - 104" (2642mm) long	*	23	DH5165	1-1/2" (38.1mm) N.C. Slotted Hex Nut	4		
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*	24	BN125	1-1/4" (31.7mm) N.C. Hex Nut	36		
	DG13056 DG13057 DG13058 DG13059	10-1/2" (267mm) SPACING	*	25	BN100	1" (25.4mm) N.C. Hex Nut	14		
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*	26	BN075	3/4" (19mm) N.C. Hex Nut	6		
		R.H. Front Wing Gang Beam (Solid Type) - 142" (3607mm) long	*	27	BP31225	5/16" (7.8mm) x 2-1/4" (57mm) Cotter Pin	4		
		R.H. Front Wing Gang Beam (Solid Type) - 155" (3937mm) long	*	28	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting - bottom	7		
		R.H. Front Wing Gang Beam (Solid Type) - 166" (4216mm) long	*	29	10GN2	1/4" (6.35mm) - 28 - 45 Degree Grease Fitting - top	3		
				30	BW125L	1-1/4" (31.7mm) Lockwasher	32		
				31	BW075L	3/4" (19mm) Lockwasher	6		
14	DG13056 DG13057 DG13058 DG13059	10-1/2" (267mm) SPACING	*	32	DF5063	Rockshaft Bearing Cap Shim	*		
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*	33	DF13224	2" x 12" Shim (50.4mm x 305mm)	*		
		R.H. Front Wing Gang Beam (Solid Type) - 142" (3607mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 155" (3937mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 166" (4216mm) long	*						
	DG13056 DG13057 DG13058 DG13059	10-1/2" (267mm) SPACING	*						
		R.H. Front Wing Gang Beam (Solid Type) - 129" (3277mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 142" (3607mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 155" (3937mm) long	*						
		R.H. Front Wing Gang Beam (Solid Type) - 166" (4216mm) long	*						

* as required


NOTE: To determine gang beam lengths for your machine, see gang chart on page 40.

MODEL 8700 DISC



DECALS (FRAME AND GANG BEAM)


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	DF13119	8700 Decal (3-1/4" (82.6mm) x 11" (279mm))	4
2	DF13116	Ezee-On Decal (3" x 19-5/8" (76 x 499mm))	4
3	DF9507	Danger Decal (3-1/2" (88.9mm) x 14-7/8" (311mm))	2
4	DF13001	Hydraulic Lockup Decal (2-5/8" (66.7mm) x 7" (178mm))	1
5	DF7152	Maintenance Decal (2-1/2" (63.5mm) x 9" (229mm))	1
6	DF9506	Danger, Caution Decal (2-1/4" (57.2mm) x 11-1/2" (292mm))	1
7	DF9510	Caution Decal (3-1/2" (88.9mm) x 15-1/4" (387mm))	1
8	DF10057	Yellow Reflector (2" (50.8mm) x 9" (229mm))	6
9	DF10050	Red Reflector (2" (50.8mm) x 9" (229mm))	6
10	A70023	Serial Tag (2" (50.8mm) x 3-1/4" (82.6mm))	1
11	A75764	Read Manual Decal (2-5/16" (58.6mm) x 4-1/2" (114.3mm))	1
12	A70041	Check whl bolt decal - 2-1/4" x 3-1/2" (57.2mm x 88.9mm)	1
13	A75764	Read manual decal - 2-3/4" x 4-1/2" (69.8mm x 114.3mm)	1
14	DF13120	Disc with wings on decal	1
	L001	Ezee-On Yellow Paint - 1 quart	*
	L002	Ezee-On Yellow Paint - 1/2 pint	*
	L015	Black Paint - 1 liter	*
	L016	Black Paint - 1/2 pint	*



HITCH & LEVELING CRANK ASSEMBLY

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	DHB13097	Hitch c/w item 11, 12, 13 & 18	1
2	DCA9970	Leveling Crank - 50" (1270mm) Long	1
3	DCA5195	Leveling Link (16-3/4" (60.4mm) Pipe Length)	1
4	DC9618	Compression Spring	1
5	DC13098	Spacer Tube - 11" (279mm) Long)	1
6	DC15	Thrust Bearing - Timken #T199	2
7	DCA5184	Bearing Tube - leveling crank	1
8	DH5	2" (50.8mm) N.C. Heavy Hex Nut - drilled for set screw	1
9	DHB5170	Hitch Jack	1
10	DH9961	Hose Support - spring coil type	1
11	DH5146	Leveling Arm Lug	1
12	DHA9605	Hitch Pin - 1-1/2" (38.1mm) Dia. x 5" (127mm)	2
13	DH12517	7/16" (10.9mm) x 1-1/16" (36.3mm) Lynch Pin	2
14	B050010S	1/2" (12.7mm) x 1" (25.4mm) N.C. Square Head Set Screw	1
15	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	1
16	B050050	1/2" (12.7mm) x 5" (127mm) N.C. Hex Bolt	4
17	BN062	5/8" (15.7mm) N.C. Hex Nut	1
18	BN050	1/2" (12.7mm) N.C. Hex Nut	4
19	BW062L	5/8" (15.7mm) Lockwasher	1
20	BW050L	1/2" (12.7mm) Lockwasher	4
21	BW17506806F	11/16" (17.2mm) I.D. x 1-3/4" (44.4mm) O.D. Flatwasher	1
22	DH7148	Crank Decal (2-1/4" (57.2mm) x 2-3/4" (140mm))	1
23	DR5215	1-1/4" (31.7mm) x 4-3/4" (120.6mm) N.C. Hex Bolt w/special thread length	1
24	BW125L	1-1/4" (31.7mm) Lockwasher	1
25	BN125	1-1/4" (31.7mm) N.C. Hex Nut	1
26	D13090	Safety Chain 20200 lbs up to 32 ft. (9165 Kgs for up to 9.75m)	1
	D13091	Safety Chain 30400 lbs for 35 to 42 ft. (13793 Kgs for 10.67m to 12.8m)	

MODEL 8700 DISC




ROCKSHAFT & WHEEL ASSEMBLY - w/MAIN FRAME WALKING BEAMS

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D	REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	DRA13092	Main Frame Rockshaft	1	29	DR118	Cup - #LM25520	4
2	DRA13093	L.H. Narrow and Wide Wing Rockshaft - 41"	*	30	DRA9	618 Hub c/w Cups	4
3	DRA13095	R.H. Narrow and Wide Wing Rockshaft - 41"	*	31	DR92	Cup - #LM48510	4
4	DRA13131	L.H. Walking Beam Main Frame	1	32	DR91	Cone Bearing - #LM48548	4
5	DRA13130	R.H. Walking Beam Main Frame	1	33	DR123	Hub Cap	4
6	DR8601T	Rockshaft Bearing - bottom half	4	34	DR5261	15" (381mm) x 8" (203mm) - 6 Bolt Rim - (requires metal valve stem)	4
7	DR8601B	Rockshaft Bearing - top half	4	35	125L15FID	12.5L x 15 "D" F1 Tire	4
8	DR13004	812 Spindle - 13-3/4" (348mm)	4	36	B075065	3/4" (19mm) x 6-1/2" (165mm) N.C. Hex Bolt	4
9	DR7156	618 Spindle - 14-1/2" (368mm)	4	37	B050045	1/2" (12.7mm) x 4-1/2" (114.3mm) N.C. Hex Bolt	4
10	DR13007	Walking Beam Pivot Bolt - Main Frame	2	38	B050035	1/2" (12.7mm) x 3-1/2" (88.9mm) N.C. Hex Bolt	4
11	DR13124	Cone Bearing #25877	4	39	B050030	1/2" (12.7mm) x 3" (76.2mm) N.C. Hex Bolt	4
12	DR13125	Bearing Cup #25821	4	40	DR125	9/16" (14.2mm) N.F. x 1-1/8" (28.5mm) Wheel Bolt	56
13	DR13008	Sleeve Pivot Pin	2	41	BN050L	1/2" (12.7mm) N.C. Nylon Locknut	10
14	DR13126	1-1/4" (31.7mm) N.F. Slotted Hex Nut	2	42	BN075	3/4" (19mm) N.C. Hex Nut	8
15	DR9680	Grease Seal #SE-17	4	43	BW075L	3/4" (19mm) Lockwasher	8
16	DR9684	Inner Cone Bearing #3780	4	44	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	18
17	DR9682	Inner Cup #3720	4		10GN3	Grease Fitting - Press in Type	*
18	DRA9679	Hub c/w cups - 8 bolt	4				
19	DR9683	Outer Cup #2720	4	45	DR13120	1-1/4" (31.8mm) I.D. x 1-1/4" (31.8mm) Long Steel Insert	3
20	DR9685	Outer Cone Bearing #2790	4	46	C60154	Valve Stem - Metal	8
21	BW20010614F	2" (50.8mm) O.D. x 1-1/16" (25.5mm) I.D. x .140" (3.55mm) Flatwasher	4	47	DR13190	Seal - Spindle Mount Type	4
22	BP18125	3/16" (4.76mm) x 1-1/4" (31.7mm) Cotter Pin	4	48	DR13190	Seal Cup - Spindle Mount Type Seal	4
23	DR110	1" (25.4mm) N.F. Hex Slotted Nut	4	49	DR13121	Seal - P/N 18823	4
24	DR9681	Hub Cap	4	50	BP31200	5/16" (7.8mm) x 2" (50.8mm) Cotter Pin	4
25	S81509	15" (381mm) x 10" (254mm) x 8 Bolt Rim	4	51	DR9671	9/16" (14.2mm) N.F. x 1-11/16" (42.7mm) Wheel Bolt	32
26	125L15FIF	12.5L x 15 "F" F1 Tire	4	52	DR13134	1-3/8" I.D. (35mm) x 14 GA Machinery Bushing	*
27	DR9670	9/16" (14.2mm) N.F. Hex Nut	32				
28	DR120	Cone Bearing - #LM25580	4				

* As Required

MODEL 8700 DISC




ROCKSHAFT & WHEEL ASSEMBLY (OFF HIGHWAY OPTION)

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	DRA13107	Main Frame Rockshaft (Australia Only)	1
2	DRA13108	L.H. Narrow Wing Assembly (Australia Only)	*
	DRA13109	L.H. Wide Wing Assembly (Australia Only)	*
3	DRA13110	R.H. Narrow Wing Assembly (Australia Only)	*
	DRA13111	R.H. Wide Wing Assembly (Australia Only)	*
4	DR8601T	Rockshaft Bearing - bottom half	4
5	DR8601B	Rockshaft Bearing - top half	4
6	A75881	812 Spindle - 18"	6
7	DR9680	Grease Seal #SE-17	6
8	DR9684	Inner Cone Bearing #3780	6
9	DR9682	Inner Cup #3720	6
10	DRA9679	Hub c/w cups - 8 bolt	6
11	DR9683	Outer Cup #2720	6
12	DR9685	Outer Cone Bearing #2790	6

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
13	BW20010318F	2" O.D. x 1-1/32" I.D. x 3/16" (50.8 x 26 x 4.6mm) Flatwasher	6
14	BP18125	3/16" x 1-1/4" (4.6mm x 31.7mm) Cotter Pin	6
15	DR110	1" (25.4mm) N.F. Hex Slotted Nut	6
16	DR9681	Hub Cab	6
17	DR9668	14.00 x 19.5 - 8 Bolt Wheel	6
18	4019195G	40 x 19 x 19.5 Off/Highway Tire	6
19	B075065	3/4" x 6-1/2" N.C. (19.0mm x 165.1mm) Hex Bolt Gr.5	8
20	B050040	1/2" x 4" N.C. (12.7mm x 101.6mm) Hex Bolt	6
21	DR9671	9/16" N.F. x 1-11/16" (14.2mm x 42.7mm) Wheel Bolt	48
22	BN050L	1/2" N.C. (12.7mm) Nylon Locknut	6
23	BN075	3/4" N.C. (19.0mm) Hex Nut	8
24	BN075L	3/4" (19.0mm) Lockwasher	8
25	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	8
26	DR9670	9/16" N.F. (14.2mm) Wheel Nut	48
27	DR13120	1-1/4" I.D. x 1-1/4" Long (31.7mm x 31.7mm) Steel Insert	*

* as required


MODEL 8700 DISC



HYDRAULIC ASSEMBLY – NARROW and SUPER NARROW WING

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D	REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	306	4" x 24" (101.6mm x 610mm) Hydraulic Cylinder	1	15	D4334	3/8" x 287" (9.39mm x 7290mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1
2	305	3-1/2" x 24" (88.9mm x 610mm) Hydraulic Cylinder	1	16	D4335	3/8" x 172" (9.39mm x 4369mm) Hydraulic Hose c/w 1/2" and 3/8" (12.7mm and 9.39mm) Ends	2
3	304	3" x 24" (76.2mm x 610mm) Hydraulic Cylinder	1	17	D4336	3/8" x 24" (9.39mm x 610mm) Hydraulic Hose c/w 3/8" (9.39mm) End & 1/2" End	1
4	248	4" x 36" (101.6mm x 914mm) Wing Lift Cylinder - (used on Models 24' to 26-1/2')	2	18	L2939	3/8" x 24" (9.39mm x 610mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	1
	242	5" x 36" (127mm x 914mm) Wing Lift Cylinder - (used on 28' Models and up)	2	19	P3027	1/4" x 54" (6.35mm x 1372mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	2
5	DL13099	Hydraulic Lockout Valve	2	20	DL13186	4 Line Hose Clamp	3
6	DL9775	1/2" (12.7mm) x 90 Degree Swivel Street Elbow	6	21	B050075	1/2" x 3/4" (12.7mm x 19mm) N.C. Hex Bolt (Plated)	7
7	DL9769	3/8" (9.39mm) x 90 Degree Swivel Street Elbow	3	22	BW050L	1/2" (12.7mm) Lockwasher (Plated)	7
8	S82371	3/8" (9.39mm) Male-Male Union	1	23	C50716	Wadler Universal Stroke Control Segments (8-3/4" (222mm) package)	2
9	DL9767	3/8" x 3/8" x 3/8" (9.39mm x 9.39mm x 9.39mm) Swivel Tee	2	24	C50717	4-1/4" (108mm) Depth Stop	2
10	L1619	3/8" (9.39mm) Male-Female Swivel	2	25	C50714	2" (50.8mm) Depth Stop	2
11	D4330	3/8" x 418" (9.39mm x 10617mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends for narrow wings)	1	26	C50712	1-1/2" (38.1mm) Depth Stop	2
	D4499	3/8" x 401" (9.39 x 10185mm) hydraulic hose c/w 1/2" (12.7mm) ends (for super narrow wings)	1	27	C50711	1" (25.4mm) Depth Stop	2
12	D4331	3/8" x 288" (9.39mm x 7315mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends - (for narrow wings)	1	28	DL13122	Handle Only - Hyd. Valve Lockout Valve - HBVH040608	2
	D4500	3/8" x 254" (9.39 x 6452mm) hydraulic hose c/w 1/2" (12.7mm) ends (for super narrow wings)	1	29	DL9766	2 Line Hose Clamp - 1/2" (12.7mm) Hose	4
13	P4332	3/8" x 207" (9.39mm x 5258mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends - (for narrow wings)	1	30	DR5262	1-1/4" dia. x 4-3/16" (31.7mm x 106.4mm) Clevis Pin	8
	D4501	3/8" x 190" (9.39 x 4826mm) hydraulic hose c/w 1/2" (12.7mm) ends (for super narrow wings)	1	31	BP31175	5/16" x 2" (7.87mm x 50.8mm) Cotter Pin	10
14	D4333	3/8" x 100" (9.39mm x 2540mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1	32	DF5068	2" O.D. x 1-5/16" I.D. x 1/4" (50.8mm x 33.3mm x 6.35mm) Flatwasher	4
				33	S81856	1-1/4" Dia. X 5-13/16" (31.7mm x 147.6mm) long (under head to centre of hole) Cylinder Pin	2

MODEL 8700 DISC




HYDRAULIC ASSEMBLY – WIDE WING

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	306	4" x 24" (101 x 610mm) Hydraulic Cylinder	1
2	305	3-1/2" x 24" (89 x 610mm) Hydraulic Cylinder	1
3	304	3" x 24" (76 x 610mm) Hydraulic Cylinder	1
4	242	5" x 36" (127 x 914mm) Wing Lift Cylinder	4
5	DL13099	Hydraulic Lockout Valve	2
6	DL9775	1/2" (12.7mm) x 90 Degree Swivel Street Elbow	6
7	DL9769	3/8" (9.39mm) x 90 Degree Swivel Street Elbow	7
8	S82371	3/8" (9.39mm) Male-Male Union	2
9	DL9767	3/8" x 3/8" x 3/8" (9.39 x 9.39 x 9.39mm) Swivel Tee	2
10	L1619	3/8" (9.39mm) Male-Female Swivel	3
11	D4338	3/8" x 489" (9.39 x 12421mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1
12	D4339	3/8" x 402" (9.39 x 10211mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1
13	D4340	3/8" x 253" (9.39 x 6426mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1
14	D4333	3/8" x 100" (9.39 x 2540mm) Hydraulic Hose c/w 1/2" (12.7mm) Ends	1
15	D4341	3/8" x 178" (9.39 x 4521mm) Hydraulic Hose c/w 1/2" and 3/8" (12.7 and 9.39mm) Ends	1
16	D4335	3/8" x 172" (9.39 x 43691mm) Hydraulic Hose c/w 1/2" and 3/8" (12.7 and 9.39mm) Ends	2
17	D4342	3/8" x 20" (9.39 x 50821mm) Hydraulic Hose c/w 1/2" and 3/8" (12.7 and 9.39mm) Ends	1
18	L2937	3/8" x 30" (9.39 x 762mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	4

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
19	D3027	1/4" x 54" (6.35 x 1372mm) Hydraulic Hose w/3/8" (9.39mm) Ends	1
20	DL13186	4 Line Hose Clamp	2
21	B050075	1/2" x 3/4" (12.7 x 19mm) N.C. Hex Bolt (Plated)	6
22	BW050L	1/2" (12.7mm) Lockwasher (Plated)	6
23	L2939	3/8" x 24" (9.39 x 610mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	1
24	D4344	3/8" x 110" (9.39 x 2794mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	1
25	D4336	3/8" x 24" (9.39 x 610mm) Hydraulic Hose c/w 3/8" (9.39mm) Ends	1
26	DL9761	3/8" (9.39mm) Steel Cross	2
27	DR13127	Wadler Universal Stroke Control Segments – 8-3/4" (222mm) package	2
28	C50717	4-1/4" (108mm) Depth Stop	2
29	C50714	2" (50.8mm) Depth Stop	2
30	C50712	1-1/2" (38.1mm) Depth Stop	2
31	C50711	1" (25.4mm) Depth Stop	2
32	DL9766	2" Line Hose Clamp	4
33	DR5262	1-1/4" Dia. X 4-3/16" (31.7 x 106.4mm) Clevis Pin	10
34	BP31175	5/16" x 2" (7.87 x 50.8mm) Cotter Pin	14
35	DF5068	2" O.D. x 1-5/16" I.D. x 1/4" (50.8 x 33.3 x 6.35mm)	8
36	S81856	1-1/4" Dia. X 5-13/16" (31.7 x 147.6mm) Long – under head to centre of hole - Cylinder Pin	4
37	DL13122	Handle Only – Hyd. Lock out valve – HBVH040608	2

MODEL 8700 DISC



DISC GANG (with STANDARD HANGERS FOR T2-215 BEARINGS) – 9", 10-1/2" & 12" (230, 267 & 305mm) SPACING
(Independently Mounted Scraper Bar and Standard T2-215 Brgs)


REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1	DG76 DG137 DG74 DG107 DG157 DG130 DG180	24" x 9/32" (610 x 7mm) Plain Blade 24" x 5/16" (610 x 8mm) Plain Blade 26" x 5/16" (660 x 8mm) Plain Blade 26" x 3/8" (660 x 9mm) Plain Blade 26" x 5/16" (660 x 8mm) Plain Cone Blade 28" x 9/32" (711 x 9mm) Plain Blade 30" x 3/8" (762 x 9mm) Plain Blade	* * * * * * *
2	DG138 DG75 DG87 DG159 DG20051 DG181	24" x 5/16" (610 x 8mm) Notched Blade 26" x 5/16" (660 x 8mm) Notched Blade 26" x 3/8" (660 x 9mm) Notched Blade 26" x 9mm (660 x .354) Notched Cone Blade 28" x 3/8" (711 x 9mm) Notched Blade 30" x 3/8" (762 x 9mm) Notched Blade	* * * * * *
3	DG149 DG64 DG76	20" x 6mm (508mm x .236") Plain Outtrigger Blade 22" x 6mm (559mm x .236") Plain Outtrigger Blade 24" x 7mm (610mm x .275") Plain Outtrigger Blade	* * *
4	DG82	2" (50.8mm) UNC Heavy Hex Slotted Nut	*
5	DG89	1/4" (6.35mm) Shim Washer	*
6	DG88	1/2" (12.7mm) Shim Washer	*
7	DG78 DG13185 DG13184	5-1/2" (138mm) O.D. x 2" (50.8mm) I.D. Head Washer 5-1/2" (138mm) O.D. x 2" (50.8mm) I.D. x 3/4" (19.0mm) Head Washer - (used w/24" blades) 6" (152mm) O.D. x 2" (50.8mm) I.D. x 1" (25.4mm) Head Washer - (used w/26" & 28" blades)	* * *
8	DGA13162	Std. Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*
9	DGB9900	Housing c/w Bearings, Seals, Sleeve, Snap Rings, & Cap (T2-215 Series)	*
10	DG9901	Housing Only (T2-215 Series)	*
11	DG9905	Bearing Seal (National #200322)	*
12	DG9904	#6215 Ball Bearing (Modified)	*
13	DG9906	5" (127mm) Sleeve	*
14	DG9902	Bearing Housing Cap	*
15	DG9911	External Snap Ring (Philip French #D1400-75)	*
16	DG9910	Internal Snap Ring (Philip French #D1300-130)	*
17	DGA10563	9" & 10-1/2" (230 & 267mm) Spacing, Short Half, 1-3/8" (34.9mm) Long (Convex Side) w/6" (152mm) Washer Spool +	*
	DGA10572	12" (305mm) Spacing, Short Half, 2-7/8" (73mm) Long (Convex Side) w/6" (152mm) Washer Spool	*
18	DGA10571	9" (230mm) Spacing, Long Half, 2-11/16" (68mm) Long (Concave Side)	*
	DGA103	10-1/2" (267mm) & 12" (305mm) Spacing, Long Half, 4-3/16" (106mm) Long (Concave Side)	*
	DGA131	12" (305mm) Spacing Long Half, 5-1/4" (133mm) Long (Concave Side) +	*
19	DGA100	9" (230mm) Spacing, Full Spool w/6" (152mm) Dia. Washer on Both Ends, Spool	*
	DGA101	10-1/2" (267mm) Spacing, Full Spool w/6" (152mm) Dia. Washer on Both Ends, Spool	*
	DGA111	12" (305mm) Spacing, Full Spool w/6" (152mm) Dia. Washer on Both Ends, Spool	*

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
20	DGA127 DGA67 DGA68 DGA69 DGA70 DGA71 DGA72 DGA74 DGA129	GANG BOLT c/w end plate ref #28 – unwelded – (for 9" (230mm) SPACING) 4 Blade Gang Bolt - 33-1/2" (1099mm) Long 7 Blade Gang Bolt - 61-3/4" (1721mm) Long 8 Blade Gang Bolt - 80" (2032mm) Long 9 Blade Gang Bolt - 92" (2337mm) Long 10 Blade Gang Bolt - 43-1/4" (1099mm) Long 11 Blade Gang Bolt - 67-3/4" (1721mm) Long 12 Blade Gang Bolt - 80" (2032mm) Long 14 Blade Gang Bolt - 92" (2337mm) Long 15 Blade Gang Bolt - 92" (2337mm) Long	* * * * * * * * *
	DGA109 DGA76 DGA77 DGA78 DGA79 DGA80 DGA81 DGA82 DGA83	GANG BOLT c/w end plate ref #28 – unwelded – (for 10-1/2" (267mm) SPACING) 4 Blade Gang Bolt - 43-1/4" (1099mm) Long 6 Blade Gang Bolt - 67-3/4" (1721mm) Long 7 Blade Gang Bolt - 80" (2032mm) Long 8 Blade Gang Bolt - 92" (2337mm) Long 9 Blade Gang Bolt - 43-1/4" (1099mm) Long 10 Blade Gang Bolt - 67-3/4" (1721mm) Long 11 Blade Gang Bolt - 80" (2032mm) Long 12 Blade Gang Bolt - 92" (2337mm) Long 13 Blade Gang Bolt - 92" (2337mm) Long	* * * * * * * * *
	DGA130 DGA115 DGA69 DGA79 DGA118 DGA119 DGA120 DGA121 DGA122	GANG BOLT c/w end plate ref #28 – unwelded – (for 12" (305mm) SPACING) 5 Blade Gang Bolt - 66-1/4" (1099mm) Long - Outboard 6 Blade Gang Bolt - 67-3/4" (1721mm) Long 7 Blade Gang Bolt - 80" (2032mm) Long 8 Blade Gang Bolt - 92" (2337mm) Long 9 Blade Gang Bolt - 104-3/4" (2661mm) Long 10 Blade Gang Bolt - 117" (2927mm) Long 11 Blade Gang Bolt - 129" (3277mm) Long 12 Blade Gang Bolt - 141-3/4" (3600mm) Long 13 Blade Gang Bolt - 153-3/4" (3905mm) Long	* * * * * * * * *
21	DGA35	Socket Wrench	*
22	DG10310	7/16" (10.9mm) x 3" (76.2mm) Lock Pin	*
23	DG5379	7/8" (22.2mm) x 6" (152mm) x 5-7/8" (149mm) Long U-Bolt (Plated)	*
24	B062100 B062110	5/8" (15.7mm) x 10" (254mm) N.C. Hex Bolt Gr.5 (Plated)- Used on machines less bearing guard 5/8" (15.7mm) x 11" (279.4mm) N.C. hex bolt Gr. 5 (Plated) - Used on machines equipped w/bearing guard	* *
25	BN087	7/8" (22.2mm) N.C. Hex Nut (Plated)	*
26	BN062L	5/8" (15.7mm) N.C. Hex Nylon Lock Nut (Plated)	*
27	BW087L	7/8" (22.2mm) Lockwasher (Plated)	*
28	DGA5370	5-1/2" (139.7mm) end plate - weld on	*
29	DG9912	Set Screw - 1/4" (6.35mm) N.C. x 1/2" (12.7mm) Long	*
30	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	*
31	DG10590	Bearing Guard - T2-215 Bearing	*
32	DGA13163	2" (50.8mm) Offset Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*
	DGA13164	3-1/2" (88.9mm) Offset Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*
33	DG5371	Wrench Drive Plate - 1/2" x 3-1/2" x 3-1/2" (12.7 x 88.9 x 88.9 mm)	*

+ When ordering 12" (305mm) Spacing 1/2 Spools, Measure Length to Determine Correct Spool.

* as required

MODEL 8700 DISC




DISC GANG (with STANDARD HANGERS FOR T2-215 BEARINGS) – 10-1/2" & 12" (267 & 305mm) SPACING
(Independently Mounted Scraper Bar and T2-215 Bearings with Interlocking 1/2 Spools)

REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D	REF. NO	PART. NO	DESCRIPTION	QTY. REQ'D
1		Ref to Page 63 for Disc Blades	*	18	DG9918	10-1/2" (267mm) Spacing, (Press On) Long Half Spool (Concave Side)	*
2		Ref to Page 63 for Disc Blades	*		DG9917	12" (305mm) Spacing (Press On) Long Half Spool (Concave Side)	*
3		Ref to Page 63 for Disc Blades	*				
4	DG82	2" (50.8mm) UNC Heavy Hex Slotted Nut	*	19	DGA101	10-1/2" (267mm) Spacing, Full Spool w/6" (152mm) Dia. Washer on Both Ends, Spool	*
5	DG89	1/4" (6.35mm) Shim Washer	*		DGA111	12" (305mm) Spacing, Full Spool w/6" (152mm) Dia. Washer on Both Ends, Spool	*
6	DG88	1/2" (12.7mm) Shim Washer	*				
7	DG78	5-1/2" (138mm) O.D. x 2" (50.8mm) I.D. Head Washer	*		---	Ref. to Page 63 for Gang Bolts	*
	DG13185	5-1/2" (138mm) O.D. x 2" (50.8mm) I.D. x 3/4" (19.0mm) Head Washer - (used w/24" blades)	*	20	DGA35	Socket Wrench	*
	DG13184	6" (152mm) O.D. x 2" (50.8mm) I.D. x 1" (25.4mm) Head Washer - (used w/26" & 28" blades)	*	21	DG10310	7/16" (10.9mm) x 3" (76.2mm) Lock Pin	*
8	DGA13162	Std. Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*	22	DG5379	7/8" (22.2mm) x 6" (152mm) x 5-7/8" (149mm) Long U-Bolt (Plated)	*
9	DGB9940	Housing c/w Bearings, Seals, Sleeve, Snap Rings, & Cap (T2-215 Series)	*				
10	DG9901	Housing Only (T2-215 Series)	*	23	B062100	5/8" (15.7mm) x 10" (254mm) N.C. Hex Bolt Gr.5 (Plated)- Used on machines less bearing guard	*
11	DG9905	Bearing Seal (National #200322)	*	24	B062110	5/8" (15.7mm) x 11" (279.4mm) N.C. hex bolt Gr. 5 (Plated)- Used on machines equipped w/bearing guard	*
12	DG9904	#6215 Ball Bearing (Modified)	*				
13	DG9922	9" (229mm) Steel Sleeve	*	25	BN087	7/8" (22.2mm) N.C. Hex Nut (Plated)	*
14	DG9902	Bearing Housing Cap	*	26	BN062L	5/8" (15.7mm) N.C. Hex Nylon Lock Nut	*
15	DG9911	External Snap Ring (Philip French #D1400-75)	*	27	BW087L	7/8" (22.2mm) Lockwasher (Plated)	*
16	DG9910	Internal Snap Ring (Philip French #D1300-130)	*	28	DGA5370	5-1/2" (139.7mm) end plate - weld on	*
17	DG9919	10-1/2" & 12" (267 & 305mm) Spacing (Press On) Short Half Spool (Convex Side)	*	29	DG9912	Set Screw - 1/4" (6.35mm) N.C. x 1/2" (12.7mm) Long	*
				30	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	
				31	DG10590	Bearing Guard - T2-215 Bearing	
				32	DGA13163	2" (50.8mm) Offset Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*
					DGA13164	3-1/2" (88.9mm) Offset Trunion Mounted Bearing Hanger - (See Detail A above for length) - (w/o scraper tail)	*
				33	DG5371	Wrench Drive Plate - 1/2" x 3-1/2" x 3-1/2" (12.7 x 88.9 x 88.9mm)	*

* as required

MODEL 8700 DISC




STONE FLEX HANGER FOR T2-215 BEARINGS (OPTIONAL) (Independently Mounted Scraper Bar)

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	DGB9900	T2-215 Bearing Assembly (See Page 63 for T2-215 Bearing Breakdown)	*
	DGB9990	T2-215 Bearing Assembly w/9" Interlocking sleeve - (See Page 64 for T2-215 Bearing Breakdown)	*
2	DGA10570	Standard Mounting Bracket	*
3	DGA10575	2" (50.8mm) Offset Mounting Bracket	*
	DCA10576	3-1/2" (88.9mm) Offset Mounting Bracket	*
4	DG5313	1-1/4" (31.8mm) x 2-1/2" (63.5mm) Spring Shank	*
5	DGA5330	Shank Stop	*
6	DGA5336	Scraper Bar Support Bracket - For 2" (50.8mm) Offset Mounting Bracket - Frt. L.H. & Rear R.H.	*
	DGA5337	Scraper Bar Support Bracket - For 2" (50.8mm) Offset Mounting Bracket - Frt. R.H. & Rear L.H.	*
7	DGA5328	Backing Plate - Hanger Mounted Scraper Only	*
8	DG5378	7/8" (22.2mm) x 7" (178mm) x 7-1/8" (181mm) Long U-bolt	*
9	B062100	5/8" (15.7mm) x 10" (254mm) N.C. Hex. Bolt- GR.5	*
10	B075035	3/4" (19mm) x 3-1/2" (88.9mm) N.C. Hex. Bolt- GR.5	*
11	BN062	5/8" (15.7mm) N.C. Hex. Nylon Lock Nut	*
12	BN075	3/4" (19mm) N.C. Hex. Nut	*
13	BN087	7/8" (22.2mm) N.C. Hex. Nut	*
14	BW075L	3/4" (19mm) Lockwasher	*
15	BW087L	7/8" (22.2mm) Lockwasher	*
16	10GN1	1/4" (6.35mm) - 28 Straight Grease Fitting	*
17	DG10590	Bearing Guard - T2-215 Bearing	*

* as required

MODEL 8700 DISC



STANDARD SCRAPER AND SCRAPER BAR

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	DG5292	Scraper (Std) - Front L.H. & Rear R.H.	*
	DG5293	Scraper (Std) - Front R.H. & Rear L.H.	*
2		SCRAPER BARS FOR 9" (230mm) SPACING	*
	DS48	4 Blade Gang Scraper Bar - 48-1/2" (1232mm)	*
	DS67	7 Blade Gang Scraper Bar - 67" (1702mm)	*
	DS63	7 Blade Gang Scraper Bar - 63" (1600mm) - (90 deg Scraper)	*
	DS76	8 Blade Gang Scraper Bar - 76-1/4" (1937mm)	*
	DS85	9 Blade Gang Scraper Bar - 85" (2159mm)	*
	DS81	9 Blade Gang Scraper Bar - 81-1/2" (2070mm) - (90 deg Scraper)	*
	DS95	10 Blade Gang Scraper Bar - 95" (2413mm)	*
	DS91	10 Blade Gang Scraper Bar - 91-1/2" (2324mm) - (90 deg Scraper)	*
	DS104	11 Blade Gang Scraper Bar - 104-1/2" (2654mm)	*
	DS99	11 Blade Gang Scraper Bar - 99-1/2" (2527mm) - (90 deg Scraper)	*
	DS113	12 Blade Gang Scraper Bar - 113" (2870mm)	*
	DS108	12 Blade Gang Scraper Bar - 108" (2743mm) - (90 deg Scraper)	*
	DS132	14 Blade Gang Scraper Bar - 132-1/2" (3366mm)	*
	DS142	15 Blade Gang Scraper Bar - 142" (3607mm)	*
	DS138	15 Blade Gang Scraper Bar - 138" (3505mm) - (90 deg Scraper)	*
		SCRAPER BARS FOR 10-1/2" (267mm) SPACING	*
	DS43	4 Blade Gang Scraper Bar - 43" (1092mm)	*
	DS65	6 Blade Gang Scraper Bar - 65-1/2" (1664mm)	*
	DS61	6 Blade Gang Scraper Bar - 61" (1549mm) - (90 deg Scraper)	*
	DS69	6 Blade Gang Scraper Bar - 69" (1753mm) - for Rear Centre M/F 6 Blade Gang Only	*
	DS76	7 Blade Gang Scraper Bar - 76-1/2" (1943mm)	*
	DS73	7 Blade Gang Scraper Bar - 73" (1854mm) - (90 deg Scraper)	*
	DS87	8 Blade Gang Scraper Bar - 87" (2210mm)	*
	DS82	8 Blade Gang Scraper Bar - 82-1/2" (2096mm) - (90 deg Scraper)	*
	DS97	9 Blade Gang Scraper Bar - 97-1/2" (2477mm)	*
	DS93	9 Blade Gang Scraper Bar - 93" (2362mm) - (90 deg Scraper)	*
	DS108	10 Blade Gang Scraper Bar - 108" (2743mm)	*
	DS107	10 Blade Gang Scraper Bar - 107-1/2" (2731mm) - (90 deg Scraper)	*
	DS118	11 Blade Gang Scraper Bar - 118-1/2" (3010mm)	*
	DS114	11 Blade Gang Scraper Bar - 114-1/2" (2908mm) - (90 deg Scraper)	*
	DS130	12 Blade Gang Scraper Bar - 130-1/2" (3315mm)	*
	DS141	13 Blade Gang Scraper Bar - 141" (3581mm)	*
	DS137	13 Blade Gang Scraper Bar - 137" (3480mm) - (90 deg Scraper)	*

* as required



MODEL 8700 DISC

STANDARD SCRAPER AND SCRAPER BAR

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
		SCRAPER BARS FOR 12" (305mm) SPACING	*
	DS48	4 Blade Gang Scraper Bar - 48-1/2" (1232mm)	*
	DS73	6 Blade Gang Scraper Bar - 73" (1854mm)	*
	DS69	6 Blade Gang Scraper Bar - 69" (1753mm) - (90 deg Scraper)	*
	DS85	7 Blade Gang Scraper Bar - 85" (2159mm)	*
	DS81	7 Blade Gang Scraper Bar - 81" (2057mm) - (90 deg Scraper)	*
	DS97	8 Blade Gang Scraper Bar - 97-1/2" (2477mm)	*
	DS93	8 Blade Gang Scraper Bar - 93" (2362mm) - (90 deg Scraper)	*
	DS110	9 Blade Gang Scraper Bar - 110" (2794mm)	*
	DS106	9 Blade Gang Scraper Bar - 106" (2692mm) - (90 deg Scraper)	*
	DS123	10 Blade Gang Scraper Bar - 123" (3124mm)	*
	DS128	11 Blade Gang Scraper Bar - 128" (3251mm)	*
	DS135	11 Blade Gang Scraper Bar - 135" (3429mm)	*
	DS147	12 Blade Gang Scraper Bar - 147" (3734mm)	*
	DS159	13 Blade Gang Scraper Bar - 159" (4039mm)	*
	DS155	13 Blade Gang Scraper Bar - 155" (3937mm) - (90 deg Scraper)	*
	DG5308	1/2" (12.7mm) x 2" (50.8mm) U-bolt	*
3	DG5309	5/8" (15.7mm) x 2" (50.8mm) U-bolt	*
4	BN050	1/2" (12.7mm) N.C. Hex. Nut	*
5	BN062	5/8" (15.7mm) N.C. Hex. Nut	*
6	BW050L	1/2" (12.7mm) Lockwasher	*
7	BW062L	5/8" (15.7mm) Lockwasher	*
8			
	DG5297	90 degree Scraper Std. - Frt. L.H. & Rear R.H.	*
9	DG5298	90 degree Scraper Std. - Frt. R.H. & Rear L.H.	*
10	DG5296	Straight Scraper Mount Plate	*
11	DG13145	3/4" x 6-7/8" cc x 5-3/4" (19.0mm x 174.5mm x 146.0mm) U-Bolt	*
12	BW075L	3/4" (19.0mm) Lockwasher	*
13	BN075	3/4" (19.0mm) N.C. Hex Nut	*
14	DG5303	Offset Scraper Mount Plate	*

* as required

MODEL 8700 DISC



HEAVY DUTY SCRAPER AND SCRAPER BAR ASSEMBLY

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	DG13215	Heavy Duty Scraper - 1/2" x 4" (12.7 x 101.6mm) - Front L.H. & Rear R.H.	*
	DG13216	Heavy Duty Scraper - 1/2" x 4" (12.7 x 101.6mm) - Front R.H. & Rear L.H.	*
2		SCRAPER BARS FOR 9" (230mm) SPACING – 3/16" WALL TUBING	
	DS45 - 4	4 Blade Gang Scraper Bar - 45-1/2" (1156mm)	*
	DS64 - 4	7 Blade Gang Scraper Bar - 64" (1626mm)	*
	DS63 - 4	7 Blade Gang Scraper Bar - 63" (1600mm) - (90 deg Scraper)	*
	DS73 - 4	8 Blade Gang Scraper Bar - 73-1/4" (1861mm)	*
	DS82 - 4	9 Blade Gang Scraper Bar - 82" (2083mm)	*
	DS81 - 4	9 Blade Gang Scraper Bar - 82" (2083mm) - (90 deg Scraper)	*
	DS92 - 4	10 Blade Gang Scraper Bar - 92" (2337mm)	*
	DS88-4	10 Blade Gang Scraper Bar - 88-1/2" (2248mm) - (90 deg Scraper)	*
	DS101 - 4	11 Blade Gang Scraper Bar - 101-1/2" (2578mm)	*
	DS99 - 4	11 Blade Gang Scraper Bar - 99" (2515mm) - (90 deg Scraper)	*
	DS110 - 4	12 Blade Gang Scraper Bar - 110" (2794mm)	*
	DS108 - 4	12 Blade Gang Scraper Bar - 108" (2743mm) - (90 deg Scraper)	*
	DS129 - 4	14 Blade Gang Scraper Bar - 129-1/2" (3289mm)	*
	DS139 - 4	15 Blade Gang Scraper Bar - 139" (3531mm)	*
	DS135-4	15 Blade Gang Scraper Bar - 135" (3429mm) - (90 deg Scraper)	*
		SCRAPER BARS FOR 10-1/2" (267mm) SPACING – 3/16" WALL TUBING	
	DS62 - 4	6 Blade Gang Scraper Bar - 62-1/2" (1588mm)	*
	DS61 - 4	6 Blade Gang Scraper Bar - 61" (1664mm) - (90 deg Scraper)	*
	DS73 - 4	7 Blade Gang Scraper Bar - 73-1/2" (1867mm)	*
	DS70 - 4	7 Blade Gang Scraper Bar - 70" (1778mm) - (90 deg Scraper)	*
	DS84-4	8 Blade Gang Scraper Bar - 84" (2134mm)	*
	DS82 - 4	8 Blade Gang Scraper Bar - 82-1/2" (2095mm) - (90 deg Scraper)	*
	DS94 - 4	9 Blade Gang Scraper Bar - 94-1/2" (2400mm)	*
	DS93 - 4	9 Blade Gang Scraper Bar - 93" (2362mm) - (90 deg Scraper)	*
	DS105 - 4	10 Blade Gang Scraper Bar - 105" (2667mm)	*
	DS107 - 4	10 Blade Gang Scraper Bar - 105" (2667mm) - (90 deg Scraper)	*
	DS115 - 4	11 Blade Gang Scraper Bar - 115-1/2" (2934mm)	*
	DS114 - 4	11 Blade Gang Scraper Bar - 115" (2921mm) - (90 deg Scraper)	*
	DS127-4	12 Blade Gang Scraper Bar - 127-1/2" (3239mm)	*
	DS138 - 4	13 Blade Gang Scraper Bar - 138" (3505mm)	*
	DS134 - 4	13 Blade Gang Scraper Bar - 138" (3505mm) - (90 deg Scraper)	*

*as required


MODEL 8700 DISC

HEAVY DUTY SCRAPER AND SCRAPER BAR ASSEMBLY

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
		SCRAPER BARS FOR 12" (305mm) SPACING – 3/16" WALL TUBING	
	DS45 - 4	4 Blade Gang Scraper Bar - 45-1/2" (1156mm)	*
	DS70 - 4	6 Blade Gang Scraper Bar - 70" (1778mm)	*
	DS66-4	6 Blade Gang Scraper Bar - 66" (1676mm) - (90 deg Scraper)	*
	DS82 - 4	7 Blade Gang Scraper Bar - 82" (2083mm)	*
	DS78 - 4	7 Blade Gang Scraper Bar - 78" (1981mm) - (90 deg Scraper)	*
	DS94 - 4	8 Blade Gang Scraper Bar - 94-1/2" (2400mm)	*
	DS90-4	8 Blade Gang Scraper Bar - 90" (2286mm) - (90 deg Scraper)	*
	DS107 - 4	9 Blade Gang Scraper Bar - 107" (2718mm)	*
	DS103-4	9 Blade Gang Scraper Bar - 103" (2616mm) - (90 deg Scraper)	*
	DS120 - 4	10 Blade Gang Scraper Bar - 120" (3048mm)	*
	DS103-4	10 Blade Gang Scraper Bar - 120" (3048mm) - (90 deg Scraper)	*
	DS132 - 4	11 Blade Gang Scraper Bar - 132" (3353mm)	*
	DS128 - 4	11 Blade Gang Scraper Bar - 128" (3264mm) - (90 deg Scraper)	*
	DS144 - 4	12 Blade Gang Scraper Bar - 144" (3658mm)	*
	DS156 - 4	13 Blade Gang Scraper Bar - 156" (3962mm)	*
	DS152 - 4	13 Blade Gang Scraper Bar - 152" (3861mm) - (90 deg Scraper)	*
3	DG5308	1/2" (12.7mm) x 2" (50.8mm) U-bolt	*
4	DG5309	5/8" (15.7mm) x 2" (50.8mm) U-bolt	*
5	BN050	1/2" (12.7mm) N.C. Hex. Nut	*
6	BN062	5/8" (15.7mm) N.C. Hex. Nut	*
7	BW062L	5/8" (15.7mm) Lockwasher	*
8	DG13217	90 degree Heavy Duty Scraper - 1/2" x 4" (12.7 x 101.6mm) - Frt. L.H. & Rear R.H.	*
	DG13218	90 degree Heavy Duty Scraper - 1/2" x 4" (12.7 x 101.6mm) - Frt. R.H. & Rear L.H.	*
9	DG5296	Straight Scraper Mount Plate	*
10	DG13145	3/4" x 6-7/8" cc x 5-3/4" (19.0mm x 174.5mm x 146.0mm) U-Bolt	*
11	BW075L	3/4" (19.0mm) Lockwasher	*
12	BN075	3/4" (19.0mm) N.C. Hex Nut	*
13	DG5303	Offset Scraper Mount Plate	*
14	DG7190	Wide Pan Scraper	*
15	DG7194	Heavy Duty Scraper Holder - Wide Pan	*
16	DG7195	90 Deg. Heavy Duty Scraper Holder - Wide Pan	*
17	B050012C	1/2" x 1-1/4" (12.7mm x 32mm) N.C. Carriage Bolt	*
18	DGA13225	Front L.H. Rear R.H. Bearing Trash Guard - 12" Spacing Only	*
	DGA13226	Front R.H. Rear L.H. Bearing Trash Guard - 12" Spacing Only	*
	DGA13227	Front L.H. Rear R.H. Bearing Trash Guard - 10-1/2" Spacing Only	*
	DGA13228	Front R.H. Rear L.H. Bearing Trash Guard - 10-1/2" Spacing Only	*
19	BW050L	1/2" (12.7mm) Lockwasher	*

*as required


MODEL 8700 DISC



WARNING LIGHT KIT

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	LK6411	Light Bracket	2
2	LK6426	Amber Lamp c/w Washers, Nut and 2 Pin Plug	2
3	LK6425	Red Lamp c/w Washers, Nut and 3 Pin Plug	1
4	B050085	1/2" (12.7mm) x 7-1/2" (191mm) N.C. Hex Bolts (Plated)	4
5	BN050	1/2" (12.7mm) N.C. Hex Nut (Plated)	
6	BW050L	1/2" (12.7mm) Lockwasher (Plated)	8
7	LK6427	Wiring Harness	1
8	LK6404	Backing Plate	2
9	LK6423	Male Plug Complete	1
10	A75919	2 Pin Plug – Female	2
11	A75899	3 Pin Plug – Female	2
12	A75918	2 Pin Plug – Male	2
13	A75920	3 Pin Plug – Male	1
14	LK6429	Amber Lens	4
15	LK6430	Red Lens	1

MODEL 8700 DISC



MAIN ROCKSHAFT CYLINDER - 4" (101.6mm) x 24" (610mm) CYLINDER - #306


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	40TU10	Tube Assembly - 4" (101.6mm) x 24" (610mm)	1
2	10SH60	Shaft - 2" (50.8mm) x 24" (610mm)	1
3	100R18	1" (25.4mm) O.D. x 7/8" (22.2mm) I.D. O-Ring	1
4	100R17	4" (101.6mm) O.D. x 3/16" (4.76mm) O-Ring	1
5	40PB8	Piston - 4" (101.6mm) O.D. x 1" (25.4mm) I.D.	1
6	40PS1	4" (101.6mm) O.D. Piston Seal Assembly	1
7	10NU4	1" (25.4mm) - 14 N.F. Hex Nut	1
8	40HP5	Head Plate - 4" (101.6mm) O.D. x 2" (50.8mm) I.D.	1
9	10RS2	Rod Seal - 2-3/8" (60.2mm) O.D. x 2" (50.8mm) I.D. x 3/8" (9.39mm)	1
10	10WS6	Wiper Seal - 2-1/2" (63.5mm) O.D. x 2" (50.8mm) I.D. x 3/8" (9.39mm) - All Urethane	1

L.H. WING ROCKSHAFT CYLINDER - 3-1/2" (88.9mm) x 24" (610mm) CYLINDER - #305

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
	35TU15	Tube Assembly - 3-1/2" (88.9mm) x 24" (610mm)	1
	10SH59	Shaft - 1-3/4" (44.4mm) x 24" (610mm)	1
	100R18	1" (25.4mm) O.D. x 7/8" (22.2mm) I.D. O-Ring	1
	100R8	3-1/2" (88.9mm) O.D. x 3/16" (4.76mm) O-Ring	1
	35PB8	Piston - 3-1/2" (88.9mm) O.D. x 1" (25.4mm) I.D.	1
	35PS1	Piston Seal Assembly	1
	10NU4	1" (25.4mm) - 14 N.F. Hex Nut	1
	35HP9	Head Plate - 3-1/2" (88.9mm) O.D. x 1-3/4" (44.4mm) I.D.	1
	10RS3	Rod Seal - 1-3/4" (44.4mm) I.D. x 2-1/8" (54.0mm) O.D. x 3/8" (9.39mm)	1
	10WS10	All Urethane Wiper Seal - 1-3/4" (44.4mm) I.D. x 2-1/8" (54.0mm) O.D. x 1/4" (6.35mm)	1


R.H. WING ROCKSHAFT CYLINDER - 3" (76.2mm) x 24" (610mm) CYLINDER - #304

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	30TU34	Tube Assembly - 3" (76.2mm) x 24" (610mm)	1
2	10SH59	Shaft - 1-3/4" (44.4mm) x 24" (610mm)	1
3	100R18	1" (25.4mm) O.D. x 7/8" (22.2mm) I.D. O-Ring	1
4	100R3	3" (76.2mm) O.D. x 3/16" (4.76mm) O-Ring	1
5	30PB4	Piston - 3" (76.2mm) O.D. x 1" (25.4mm) I.D.	1
6	30PS1	Piston Seal Assembly	1
7	10NU4	1" (25.4mm) - 14 N.F. Hex Nut	1
8	30HP15	Head Plate - 3" (76.2mm) O.D. x 1-3/4" (44.4mm) I.D.	1
9	10RS3	Rod Seal - 1-3/4" (44.4mm) I.D. x 2-1/8" (54.0mm) O.D. x 3/8" (9.39mm)	1
10	10WS10	All Urethane Wiper Seal - 1-3/4" (44.4mm) I.D. x 2-1/8" (54.0mm) O.D. x 1/4" (6.35mm)	1



WING LIFT CYLINDER - 4" x 36" (102 x 914mm) CYLINDER - #248

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	40TU8	Tube Assembly - 4" x 36" (102 x 914mm)	1
2	10SH36	Shaft - 1-3/4" x 36" (44.4 x 914mm)	1
3	100R19	1-1/8" I.D. x 1-1/4" O.D. (28.5 x 31.8mm) O-Ring	1
4	40CU3	4" (101.6mm) U-Cup	2
5	40PB7	4" O.D. x 1-1/4" I.D. (101.6 x 31.7mm) Piston	1
6	10NU3	1-1/4" (31.8mm) U.N.F. Hex Lock Nut	1
7	100R17	3-5/8" I.D. x 4" O.D. (92.1 x 101.6mm) O-Ring	1
8	40HP4	4" O.D. x 1-3/4" I.D. (101.6 x 44.4mm) Head Plate	1
9	10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal	1
10	10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" (44.4 x 54.0 x 4.76mm) Wiper Seal	1



WING LIFT CYLINDER - 5" x 36" (127 x 914mm) CYLINDER - #332

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	50TU11	N3 Tube Assembly - 5" x 36" (127 x 914mm)	1
2	10SH36	Shaft - 1-3/4" x 36" (44.4 x 914mm)	1
3	100R19	1-1/8" I.D. x 1-1/4" O.D. (28.5 x 31.8mm) O-Ring	1
4	50CU1	4-1/2" I.D. x 5" O.D. x 1/2" (29.9 x 127 x 12.7mm) U-Cup	2
5	50PB2	5" O.D. x 1-1/4" I.D. (127 x 31.8mm) Piston	1
6	10NU3	1-1/4" (31.8mm) U.N.F. Hex Lock Nut	1
7	100R14	4-1/2" I.D. x 5" O.D. (29.9 x 127mm) O-Ring	1
8	50HP5	5" O.D. x 1-3/4" O.D. (127 x 44.4mm) N3 Head Plate	1
9	10RS3	1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal	1
10	10WS3	1-3/4" I.D. x 2-1/8" O.D. x 3/16" (44.4 x 54.0 x 4.76mm) Wiper Seal	1
11	50HN1	5" N3 Type Head Nut	1
12	50BR1	5" O.D. x 4-1/2" I.D. (127 x 114mm) Backup Ring	1

MODEL 8700 DISC

SEAL KIT

PART NO.	DESCRIPTION	QTY. REQ'D	CYLINDER NO.
5017N3	50CU1 - 4-1/2" I.D. x 5" O.D. x 1/2" (114 x 127mm x 12.7mm) U-Cup 100R14 - 4-1/2" I.D. x 5" O.D. (114 x 127mm) O-Ring 100R19 - 1-1/8" I.D. x 1-1/4" O.D. (28.5 x 31.8mm) O-Ring 100RS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal 10WS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/16" (44.4 x 54.0 x 4.76mm) Wiper Seal 100R13 - 1" O.D. x 1-1/4" O.D. O-Ring (25.4 x 31.8mm) 50BR1 - 5" O.D. x 4-1/2" I.D. Back Up Ring (127mm x 114mm)	2 1 1 1 1 1 1	332
4017N4	40CU3 - 4" (101.6mm) U-Cup 100R17 - 3-5/8" I.D. x 4" O.D. (92.1 x 101.6mm) O-Ring 100R19 - 1-1/8" I.D. x 1-1/4" O.D. (28.4 x 31.7mm) O-Ring 100RS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal 10WS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/16" (44.4 x 54.0 x 4.76mm) Wiper Seal 100R13 - 1" O.D. x 1-1/4" O.D. O-Ring (25.4 x 31.8mm)	2 1 1 1 1 1	248
4020N4-0	100R18 - 1" O.D. x 7/8" I.D. (25.4 x 22.2mm) O-Ring 100R17 - 4" O.D. x 3/16" (101.6 x 4.76mm) O-Ring 40PS1 - 4" (101.6mm) Piston Seal Assembly 10RS2 - 2-3/8" O.D. x 2" I.D. x 3/8" (60.2 x 50.8 x 9.39mm) Rod Seal 10WS6 - 2-1/2" O.D. x 2" I.D. x 3/8" (63.5 x 50.8 x 9/39mm) All Urethane Wiper Seal	1 1 1 1 1	306
3517N4-0	100R18 - 1" O.D. x 7/8" I.D. (25.4 x 22.2mm) O-Ring 100R8 - 3-1/2" O.D. x 3/16" (88.9 x 4.76mm) O-Ring 35PS1 - 3-1/2" (88.9mm) Piston Seal Assembly 10RS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal 10WS10 - 1-3/4" I.D. x 2-1/8" O.D. x 1/4" (44.4 x 54.0 x 6.35mm) All Urethane Wiper Seal	1 1 1 1 1	305
3017N4-0	100R18 - 1" O.D. x 7/8" (25.4 x 22.2mm) I.D. O-Ring 100R3 - 3" O.D. x 3/16" (76.2 x 4.76mm) O-Ring 30PS1 - 3" (76.2mm) Piston Seal Assembly 10RS3 - 1-3/4" I.D. x 2-1/8" O.D. x 3/8" (44.4 x 54.0 x 9.39mm) Rod Seal 10WS10 - 1-3/4" I.D. x 2-1/8" O.D. x 1/4" (44.4 x 54.0 x 6.35mm) All Urethane Wiper Seal	1 1 1 1 1	304