


MODEL 2400 POST DRIVER **PARTS LIST** **INDEX**

DESCRIPTION	PAGE
DECALS	30
FRAME and HITCH ASSEMBLY	32
HAMMER ASSEMBLY - NON EXTENDABLE TYPE	33
HAMMER ASSEMBLY - EXTENDABLE TYPE	34
MOUNT and DRIVE SYSTEM - 6:1 ENGINE DRIVEN PUMP	35
MOUNT and DRIVE SYSTEM - 1:1 ENGINE DRIVEN PUMP	36
HYDRAULIC SYSTEM - P.T.O. DRIVE	38
HYDRAULIC SYSTEM – P.T.O. w/OPTIONAL HITCH EXTENSION KIT	40
HYDRAULIC SYSTEM - ENGINE DRIVE – 6:1 REDUCTION DRIVE	42
HYDRAULIC SYSTEM - ENGINE DRIVE - 6:1 REDUCTION DRIVE w/OPTIONAL HITCH EXTENSION KIT	44
HYDRAULIC SYSTEM - ENGINE DRIVE – w/DIRECT DRIVE PUMP	46
HYDRAULIC SYSTEM - ENGINE DRIVE – w/OPTIONAL HITCH EXTENSION KIT	48
HAMMER CYLINDER	49
SEAL KIT	49
HYDRAULIC CYLINDER - MONARCH	50
POST GUIDE (OPTIONAL)	51




MODEL 2400 POST DRIVER DECALS and PAINT

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
1	S81504	Ezee-on Decal 3" x 18"	1
2	80501	Danger Decal (6" x 8")	1
3	80503	Warning & Caution Decal (4" x 9")	1
4	80504	Important Decal (4" x 4")	1
5	80500	Danger Decal (3-1/2" x 7")	1
6	80502	Caution Decal (2-3/4" x 4-1/2")	1
7	80505	Danger Decal (1-7/8" x 5-1/8")	1
8	A70007	SMV Decal	1
9	DF10050	Red Reflector Decal (4" x 2")	1
10	DF10057	Yellow Reflector Decal (4" x 2")	1
11		Serial No. Tag	1
12	P80509	Model A2400" Decal	1
13	A75764	Warning Decal (4-1/2" x 2-5/16")	1
14	P80532	Danger Decal (4-1/4" x 8")	1
15	DF13002	Ezee-On Decal (2-1/2" x 15-1/2")	1
	DF7161	1/2 Pint New Ezee-On Yellow Paint	*
	L016	1/2 Pint New Ezee-On Black Paint	*


* As required

FRAME and HITCH ASSEMBLY



MODEL 2400 POST DRIVER FRAME and HITCH ASSEMBLY


REF NO.	PART NO.	DESCRIPTION	QTY REQ'D
1	P80570	Main Frame Assembly	1
2	P80571	Hitch Assembly	1
3	P80572	Post Rack Assembly (Option) (Fits Model 2400 Only)	1
4	P80674	Rear Stabilizer Bar	1
5	P80547	4 Bolt Rim (15")	2
6		Tire - 6.70 x 15 4 PR	2
7	P80546	1/2" x 1" N.F. Wheel Stud	8
8	P80594	Hitch Jack (Option)	1
9	P80545	Hub Seal (411)	2
10	DR89	Inner Bearing 67048	2
11	DR90	Inner Cup 67010	2
12	P80548	411 Hub (Complete With Cups)	2
13	P80543	Outer Cup 11910	2
14	P80544	Outer Bearing 11949	2
15	P80540	411 Spindle c/w 3/4" Slotted Nut (Weld-on)	2
16	P80549	Hub Cap	2
17	P80596	1" O.D. x 25/32" I.D. x 5/8" Long Bushing	2
18	B075025	3/4" x 2-1/2" N.C. Hex. Bolt	2
19	B062035	5/8" x 3-1/2" N.C. Hex. Bolt	2
20	BN075L	3/4" N.C. Hex. Nylon Lock Nut (Prior to June/03 3/4" Std. Nut was used with 3/4" lockwasher)	2
21	BN062	5/8" N.C. Hex. Nut	2
22	DR82	3/4" N.F. Slotted Hex. Nut	2
23	---	2" O.D. x 13/16" I.D. Flat Washer	2
24	BW062L	5/8" Lockwasher	2
25	---	1-1/2" O.D. x 13/16" I.D. Flat Washer	2
26	BW075L	3/4" Lockwasher (Used with Std. Hex nut prior to June/03)	2
27	C50541	5/8" x 4" x 3-7/16" U-bolt (Plated)	1
28	BP01075	5/32" x 3/4" Cotter Pin	2
29	P80574	2" Ball Style Hitch Tongue (Option) – Note: If you are replacing older 1-7/8" hitch tonque, the 1-7/8" ball must be replaced with 2" ball. Ball not supplied by Ezee-On.	
30	P80508	Safety Chain - 10100 lbs (Option)	1
31	B100040	1" x 4" N.C. Hex Bolt (Used With Optional Ball Style Hitch)	
32	BN100	1" N.C. Hex Nut (Used With Optional Ball Style Hitch)	1
33	B050040	1/2" x 4" N.C. Hex Bolt (Used With Optional Horizontal Hitch Cylinder Kit)	1
34	BN050L	1/2" N.C. Nylon Hex Lock Nut (Used With Optional Horizontal Hitch Cylinder Kit)	1
35	DR77	517 Spindle - For 5 Bolt Hub	2
36	DR85	Grease Seal	2
37	DR91	Inner Bearing LM48548	2
38	DR92	Inner Cup LM48510	2
39	DRA3	Hub c/w Cups And Wheel Studs (DR87)	2
40	DR90	Outer Cup LM67010	2
41	DR89	Outer Bearing LM67048	2
42	---	1-3/4" OD. x 15/16 I.D. x 1/8" Flatwasher (Plated)	2
43	DR83	7/8" N.F. Hex Slotted Nut	2
44	BP18100	3/16" x 1" Cotter Pin	2
45	DR88	Hub Cap	2
46	DR93	15" x 5" - 5 Hole Rim	2
47	DR86	1/2" N.F. Tapered Wheel Nut	10



MODEL 2400 POST DRIVER - for S/N prior to 46120

HAMMER ASSEMBLY - NON-EXTENDABLE TYPE


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	P80616	Mast Assembly	1
2	P80640	Hammer Assembly	1
3	P80650	Hammer Lid	1
4	P80575	Horizontal Slide - Rear Mount Valve	1
5	P80628	Rubber Stop Block	4
6	P80661	Pivot Pin (Mast)	1
7	B050012	1/2" x 1-1/4" Hex. Bolt	4
8	BN050	1/2" Hex. Nut	2
9	BN037	3/8" Hex. Nut	2
10	BW050L	1/2" Lockwasher	8
11	BW037L	3/8" Lockwasher	4
12	BP31200	5/16" x 2" Cotter Pin	2
13	10GN1	1/4" - 28" Straight Grease Fitting (Zirk)	3
14	P80601	Post Holder	1
15	P80602	Rubber Grip - Post Holder	1
16	P80523	Hammer Stop Bracket - Top	1



MODEL 2400 POST DRIVER - for S/N 46120 and later


HAMMER ASSEMBLY - EXTENDABLE TYPE

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	P80761	Mast Assembly	1
2	P80762	Hammer Assembly	1
3	P80650	Hammer Lid	1
4	P80575	Horizontal Slide - Rear Mount Valve	1
5	P80757	Bumper Stop	
6	P80661	Pivot Pin (Mast)	1
7	P80601	Post Holder	1
8	P80602	Rubber Grip - Post Holder	1
9	P80628	Rubber Stop Block	4
10	BP37200	3/8" x 2" Cotter Pin	2
11	B050012	1/2" x 1-1/4" N.C. Hex Bolt	4
12	BN050	1/2" N.C. Hex Nut	5
13	BN037	3/8" N.C. Hex Nut	4
14	BW050L	1/2" Lockwasher	5
15	BW037L	3/8" Lockwasher	4
16	10GN1	1/4 - 28 Grease Zirk	3
17	P80763	Mast Extension - Hi-Lift Hammer (Optional)	1
18	P80764	Spacer Block - Hi-Lift Hammer (Optional)	1
19	B050015	1/2" x 1-1/2" N.C. Hex Bolt	3
20	P80766	Backing Plate - Lift Spacer (Optional)	1



**MODEL 2400 POST DRIVER
MOUNT AND DRIVE SYSTEM – 6:1 ENGINE DRIVEN PUMP
(used prior to June 2006)**



REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	P80576	Motor Mount Plate – Honda 6:1 Engine	1
2	P80592	Pump Mount Bracket	1
3		1/2" x 2-1/2" x 3-9/16" U-bolt	4
4	B037015	3/8" x 1-1/2" Hex. Bolt	6
5	B037310	3/8" x 1" Hex. Bolt	2
6	BN037	3/8" Hex. Nut	8
7	BN050	1/2" Hex. Nut	8
8	---	7/16" I.D. Flatwasher	8
9	BW037L	3/8" Lockwasher	8
10	BW050L	1/2" Lockwasher	8
11	P80577	1/4" Shim - Pump Mount	As Req'd
12	---	Ref. to Page 41 or 43	---



**MODEL 2400 POST DRIVER
MOUNT AND DRIVE SYSTEM – 1:1 ENGINE DRIVE PUMP
(used after June 2006)**

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1		Motor Mount Plate – 1:1 Drive Engine	1
2	P80587	Flex Coupler Complete – 6 Spoke type	1
3	P80608	Coupling Insert – 6 Spoke type	1
4	P80609	1" Coupling Half – 6 Spoke type	1
5	P80610	¾" Coupling Half – 6 Spoke type	1
6	M80010	½"x 2-1/2" x 3-9/16" U-Bolt	4
7	B037017	3/8" x 1-3/4" N.C. Hex Bolt	4
8	P80603	Pump Mount Housing c/w Access Covers	1
9	P80599	.29 cu. in. Pump - Cassappa	1
10	BN050	½" N.C. Hex Nut	8
11	---	9/16" I.D. Flatwasher	12
12	BW037L	3/8" Lockwasher	6
13	BW050L	½" Lockwasher	8
14	B037012	3/8" x 1-1/4" N.C. Hex Bolt	6
15	BN037	3/8" N.C. Hex Nut	4
16	P80604	Access Cover – Pump Mount Housing	2


MODEL 2400 POST DRIVER HYDRAULIC SYSTEM P.T.O DRIVE



**MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM - P.T.O. DRIVE**

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	2
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	P80511	Hydraulic Oil Reservoir - Steel	1
5	P80681	3 Spool Hyd. Control Valve	1
6	P80682	Single Spool Hyd. Control Valve	1
**	P80530	Seal Kit - Cross 3 Spool Valve	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
7	P80689	Pump - P.T.O. - With N.P.T. Ports (Danfoss)	1
	P80703	Pump - P.T.O. - With O.R.B. Ports (Cassappa)	1
***	P80518	Seal Kit - Danfoss Pump	1
***	P80517	Seal Kit- Cassappa Pump	1
***	P80516	Shaft Seal Only - Cassappa Pump	1
8	P80512	Torque Arm	1
9	P3045	3/4" x 148" Hyd. Hose c/w 3/4" Ends (P.T.O.)	1
10	P3044	1/2" x 160" Hyd. Hose c/w 1/2" Ends	1
11	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
12	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
13	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	4
14	P3033	3/4" x 42" Hyd. Hose c/w 3/4" Ends	1
15	P3048	1" I.D. x 58" Return Hose	1
16	P80510	Breather Cap	1
17	A70670	1-1/16" O.R.B. Male x 3/4" N.P.T. Female x 90 Degree Swivel Street Elbow (For Cassappa Motor Only)	1
	P80691	1" Male N.P.T. x 3/4" N.P.T. Female x 90 Degree Swivel Street Elbow (For Danfoss Motor Only)	1
18	P80706	7/8" O.R.B. Male x 1/2" N.P.T. Female x 90 Degree Swivel Street Elbow (For Cassappa Motor Only)	1
	DL9775	1/2" N.P.T. Male x 1/2" N.P.T. Female x 90 Degree Swivel Street Elbow (For Danfoss Motor Only)	1
19	DL5283	3/8" N.P.T. x 90 Degree Street Elbow - Steel	4
20	P80704	3/8" N.P.T. Male-Female Restricted Orifice Swivel (0.31)	4
21	DL9769	3/8" N.P.T. x 90 Degree Swivel Street Elbow	2
22	P80693	3/4" N.P.T. x 2" Nipple	2
23	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female 90 Degree Female Swivel Street Elbow	1
24	P80695	3/4" N.P.T. x 90 Degree Street Elbow	2
25	A70278	1-1/2" Hose Clamp	2
26	P80700	Oil Filter	1
27	P80699	Filter Mount	1
28	P80680	Handle	4
29	P80679	Link Kit	4
30	P80685	Handle Bracket - Cross	4
31	P80588	3/16" Square x 1-1/4" Key	1
32	P80687	540 P.T.O. Adapter 3/4" Dia.	1
33	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing - Steel	1
34	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing - Steel	4
35	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Deg. Swivel Street Elbow	2
36	B050020	1/2" x 2" N.C. Hex Bolt	2
37	BN050L	1/2" N.C. Hex. Nylon Locknut	2
38	P80584	7/8" O.D. x 7/8" Long Spacer	2
39	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	8
40	B037015	3/8" x 1-1/2" N.C. Hex Bolt	2
41	BN037	3/8" N.C. Hex Nut	6
42	BW037L	3/8" Lockwasher	6
43	P80584	3/8" N.P.T. Plug - Square Head	1
44	---	9/16" I.D. Flatwasher	2
45	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide)	1
46	B037020	3/8" x 2" N.C. Hex Bolt (Plated)	6
47	P80585	1/2" N.P.T. Plug	1
48	---	7/16" I.D. x 1" O.D. Flatwasher (Plated)	8
49	BN037L	3/8" N.C. Hex Nylon Locknut	2
50	P80701	Filter and Filter Mount Assembly	1
51	P80709	Relief Valve - 1500 PSI - Cross	1
52	B050012	1/2" x 1-1/4" N.C. Hex Bolt	2
53	BN050	1/2" N.C. Hex Nut	2
54	BW050L	1/2" Lockwasher	2
55	P80513	Hydraulic Oil Reservoir - Plastic	1



MODEL 2400 POST DRIVER **HYDRAULIC SYSTEM P.T.O DRIVE** **(c/w OPTIONAL HITCH EXTENSION KIT)**



**MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM(PTO DRIVE)
c/w OPTIONAL HITCH EXTENSION KIT**

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	1
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide And Hitch Extension)	2
5	P80511	Hydraulic Oil Reservoir - Steel	1
6	P80681	3 Spool Hyd. Control Valve	1
7	P80682	Single Spool Hyd. Control Valve - single acting for hammer	2
**	P80530	Seal Kit - Cross 3 Spool Valve	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
8	P80585	1/2" N.P.T. Plug	1
9	P80689	Pump P.T.O. With N.P.T. Ports (Danfoss)	1
	P80703	Pump P.T.O. With O.R.B. Ports (Cassappa)	1
***	P80518	Seal Kit - Danfoss Pump	1
***	P80517	Seal Kit - Cassappa Pump	1
***	P80516	Shaft Seal Only - Cassappa Pump	
10	P80512	Torque Arm	1
11	P3045	3/4" x 148" Hyd Hose c/w 3/4" Ends (P.T.O.)	1
12	P3044	1/2" x 160" Hyd. Hose c/w 1/2" Ends	1
13	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
14	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
15	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	2
16	P4300	1/4" x 118" Hyd. Hose c/w 3/8" Ends	2
17	P3033	3/4" x 42" Hyd. Hose c/w 3/4" Ends	1
18	P3048	1" I.D. x 58" Return Hose	1
19	P80510	Breather Cap	1
20	A70670	1-1/16" O.R.B. Male x 3/4" N.P.T. Female x 90 Deg. Swivel Street Elbow (For Cassappa Pump)	1
	P80691	1" Male N.P.T. x 3/4" N.P.T. Female x 90 Deg. Swivel Street Elbow (For Danfoss Pump)	1
21	P80706	7/8" O.R.B. Male x 1/2" N.P.T. Female x 90 Deg. Swivel Street Elbow (For Cassappa Pump)	1
	DL9775	1/2" N.P.T. Male x 1/2" N.P.T. Female x 90 Deg. Swivel Street Elbow (For Danfoss Pump)	1
22	DL5283	3/8" N.P.T. x 90 Deg. Street Elbow (Steel)	4
23	P80704	3/8" N.P.T. x Male-Female Restricted Orifice Swivel (0.31)	4
24	DL9769	3/8" N.P.T. x 90 Degree Swivel Street Elbow	4
25	P80693	3/4" N.P.T. x 2" Nipple	3
26	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female x 90 Deg. Female Swivel Street Elbow	1
27	P80695	3/4" N.P.T. x 90 Degree Street Elbow	2
28	A70278	1-1/2" Hose Clamp	2
29	P80700	Oil Filter	1
30	P80699	Filter Mount	1
31	P80680	Handle	5
32	P80679	Link Kit	5
33	P80685	Handle Bracket - Cross	1
34	P80588	3/16" Square x 1-1/4" Key	1
35	P80687	540 P.T.O. Adaptor 3/4" Diameter	1
36	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing - Steel	1
37	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing - Steel	4
38	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Degree Swivel Street Elbow	4
39	B050020	1/2" x 2" N.C. Hex. Bolt	2
40	BN050L	1/2" N.C. Hex. Nylon Locknut	2
41	P80584	7/8" O.D. x 7/8" Long Spacer	2
42	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	10
43	B037015	3/8" x 1-1/2" N.C. Hex. Bolt	2
44	BN037	3/8" N.C. Hex. Nut	8
45	BW037L	3/8" Lockwasher	8
46	P80584	3/8" N.P.T. Plug - Square Head	1
47	---	9/16" I.D. Flatwasher	2
48	B037020	3/8" x 2" N.C. Hex Bolt	6
49	---	7/16" I.D. x 1" O.D. Flatwasher	10
50	BN037L	3/8" N.C. Hex Nylon Locknut	2
51	P80531	Single Spool Hyd. Control Valve - double acting for hitch	1
52	P80701	Filter and Filter Mount Assembly	1
53	P80709	Relief Valve - 1500 PSI - Cross	1
54	B050012	1/2" x 1-1/4" N.C. Hex Bolt	7
55	BN050	1/2" N.C. Hex Nut	2
56	BW050L	1/2" Lockwasher	2
57	P80513	Hydraulic Oil Reservoir - plastic	1



MODEL 2400 POST DRIVER HYDRAULIC SYSTEM ENGINE (w/6:1 REDUCTION DRIVE)



MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM (ENGINE DRIVEw/6:1 REDUCTION DRIVE)

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	2
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide)	1
5	P80513	Hydraulic Oil Reservoir - Plastic	1
6	P80681	3 Spool Hyd. Control Valve	1
7	P80682	Single Spool Hyd. Control Valve - (single acting for hammer)	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
**	P80530	Seal Kit - Cross 3 Spool Valve	1
8	P80598	Pump - Engine Drive With O.R.B. Ports (Cassappa) - 1.99 cu. in. - used w/ Honda Engine - 6:1 Drive	1
	P80597	Pump - Engine Drive With N.P.T. Ports (Danfoss) - 1.99 cu. in. - used w/ Honda Engine - 6:1 Drive	1
***	P80518	Seal Kit - Danfoss Pump	1
***	P80517	Seal Kit - Cassappa Pump	1
***	P80516	Shaft Seal Only - Cassappa Pump	1
9	P80600	Honda Engine (9 H.P.) - w/6:1 Reduction Drive	1
10	P80585	1/2" N.P.T. Plug	1
11	P4301	1/2" x 64" Hyd. Hose c/w 1/2" Ends	1
12	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
13	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
14	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	4
15	P3033	3/4" x 42" Hyd. Hose c/w 3/4" Ends	1
16	P3048	1" I.D. x 58" Return Hose	1
17	P80510	Breather Cap	1
18	P80707	1" N.P.T. Male x 3/4" N.P.T. Female Swivel Adapter (For Danfoss Pump)	1
	A70706	1-1/16" O.R.B. Male x 3/4" N.P.T. Female Swivel Adapter (For Cassappa Pump)	1
19	DL9775	1/2" N.P.T. Male x 1/2" N.P.T. Female x 90 Degree Swivel Street Elbow (For Danfoss Pump)	1
	A70670	7/8" O.R.B. Male x 1/2" N.P.T. 90 Degree Swivel Street Elbow (For Cassappa Pump)	1
20	DL5283	3/8" N.P.T. x 90 Degree Street Elbow (Steel)	1
21	P80704	3/8" N.P.T. Male-Female Restricted Orifice Swivel (0.31)	4
22	DL9769	3/8" N.P.T. x 90 Degree Swivel Street Elbow	2
23	P80693	3/4" N.P.T. x 2" Nipple	2
24	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female 90 Degree Swivel Street Elbow	1
25	P80695	3/4" N.P.T. x 90 Degree Street Elbow	2
26	A70278	1-1/2" Hose Clamp	2
27	P80700	Oil Filter	1
28	P80699	Filter Mount	1
29	P80680	Handle	4
30	P80679	Link Kit	4
31	P80685	Handle Bracket - Cross	4
32	P80591	1" Flex Coupling - 4 Spoke Type - (used prior to S/N 50000)	1
	P80590	3/4" Flex Coupling - 4 Spoke Type - (used prior to S/N 50000)	1
33	P80589	Coupling Insert - 4 Spoke Type - (used prior to S/N 50000)	1
34	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing (Steel)	1
35	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing (Steel)	1
36	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Deg. Swivel Street Elbow	2
37	B050020	1/2" x 2" N.C. Hex Bolt	2
38	BN050L	1/2" N.C. Hex. Nylon Locknut	2
39	P80583	7/8" O.D. x 7/8" Long Space	2
40	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	8
41	P80584	3/8" N.P.T. Plug (Square Head)	1
42	---	9/16" I.D. Flatwasher	2
43	B037020	3/8" x 2" N.C. Hex Bolt	6
44	BN037	3/8" N.C. Hex Nut	6
45	BW037L	3/8" Lockwasher	6
46	---	7/16" I.D. x 1" O.D. Flatwasher	6
47	P80701	Filter and Filter Mount Assembly	1
48	P80709	Relief Valve - 1500 PSI - Cross	1
49	P80608	Coupling Insert - 6 Spoke Type - (used on S/N 50000 and later)	1
50	P80609	1" Coupling Half - 6 Spoke Type - (used on S/N 50000 and later)	1
51	P80610	3/4" Coupling Half - 6 Spoke Type - (used on S/N 50000 and later)	1
52	P80587	Flex Coupler Complete	1


MODEL 2400 POST DRIVER **HYDRAULIC SYSTEM ENGINE DRIVE** **(w/6:1 REDUCTION DRIVE)** **(c/w OPTIONAL HITCH EXTENSION KIT)**



MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM (ENGINE DRIVE w/6:1 REDUCTION DRIVE)
c/w OPTIONAL HITCH EXTENSION KIT

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	1
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide And Hitch Extension)	2
5	P80513	Hydraulic Oil Reservoir - Plastic	1
6	P80681	3 Spool Hyd. Control Valve	1
7	P80682	Single Spool Hyd. Control Valve	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
**	P80530	Seal Kit - Cross 3 Spool Valve	1
8	P80583	7/8" O.D. x 7/8" Long Spacer	1
9	P80598	Pump (Engine Drive) With N.P.T. Ports (Danfoss) - 1.99 cu. in. - (used with Honda Engine - 6:1 drive)	1
	P80597	Pump (Engine Drive) With O.R.B. Ports (Cassappa) - 1.99 cu. in. - (used with Honda Engine - 6:1 drive)	1
***	P80518	Seal Kit - Danfoss Pump	1
***	P80516	Seal Kit - Cassappa Pump	1
***	P80517	Shaft Seal Only - Cassappa Pump	1
10	P80600	Honda Engine (9 H.P.) - w/6:1 Reduction Drive	1
11	P80585	1/2" N.P.T. Plug	1
12	P4301	1/2" x 64" Hyd. Hose c/w 1/2" Ends	1
13	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
14	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
15	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	2
16	P4300	1/4" x 118" Hyd. Hose c/w 3/8" Ends	2
17	P3033	3/4" x 42" Hyd. Hose c/w 3/4" Ends	1
18	P3048	1" I.D. x 58" Return Hose	1
19	P80510	Breather Cap	1
20	P80707	1" N.P.T. Male x 3/4" N.P.T. Female Swivel Adapter (For Danfoss Pump)	1
	P80708	1-1/16" O.R.B. Male x 3/4" N.P.T. Female Swivel Adapter (For Cassappa Pump)	1
21	DL9775	1/2" N.P.T. Male x 1/2" N.P.T. Female x 90 Deg. Swivel Street Elbow (For Danfoss Pump)	1
	P80706	7/8" O.R.B. Male x 1/2" N.P.T. x 90 Deg. Swivel Street Elbow (For Cassappa Pump)	1
22	DL5283	3/8" N.P.T. x 90 Deg. Street Elbow (Steel)	4
23	P80704	3/8" N.P.T. x Male-Female Restricted Orifice Swivel (0.31)	4
24	DL9769	3/8" N.P.T. x 90 Deg. Swivel Street Elbow	4
25	P80693	3/4" N.P.T. x 2" Nipple	3
26	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female x 90 Deg. Female Swivel Street Elbow	1
27	P80695	3/4" N.P.T. x 90 Deg. Street Elbow	2
28	A70278	1-1/2" Hose Clamp	2
29	P80700	Oil Filter	1
30	P80699	Filter Mount	1
31	P80680	Handle	5
32	P80679	Link Kit	5
33	P80685	Handle Bracket	5
34	P80591	1" Flex Coupling - 4 Spoke Type - used prior to S/N 5000	1
	P80590	3/4" Flex Coupling - 4 Spoke Type - used prior to S/N 5000	1
35	P80589	Coupling Insert - 4 Spoke Type - used prior to S/N 5000	1
36	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing - Steel	1
37	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing - Steel	4
38	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Degree Swivel Street Elbow	4
39	B050020	1/2" x 2" N.C. Hex. Bolt	2
40	BN050	1/2" N.C. Hex. Nylon Locknut	2
41	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	10
42	P80584	3/8" N.P.T. Plug (Square Head)	1
43	---	9/16" I.D. Flatwasher	2
44	B037020	3/8" x 2" N.C. Hex Bolt	8
45	BN037	3/8" N.C. Hex Nut	8
46	BW037L	3/8" Lockwasher	8
47	---	7/16" I.D. x 1" O.D. Flatwasher (Plated)	8
48	P80531	Single Spool Hyd. Control Valve (double acting for hitch)	1
49	P80701	Filter and Filter Mount Assembly	1
50	P80709	Relief Valve - 1500 PSI - Cross	1
51	P80608	Coupling Insert - 6 Spoke Type (used on S/N 50000 and later)	1
52	P80609	1" Flex Coupling - 6 Spoke Type (used on S/N 50000 and later)	1
53	P80610	3/4" Flex Coupling - 6 Spoke Type (used on S/N 50000 and later)	1
54	P80587	Flex Coupler Complete	1



MODEL 2400 POST DRIVER HYDRAULIC SYSTEM ENGINE DRIVE (w/DIRECT DRIVE PUMP)



MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM (ENGINE DRIVE w/DIRECT DRIVE PUMP)
(after JULY 1/06)


REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	2
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide)	1
5	P80511	Hydraulic Oil Reservoir - Steel	1
6	P80681	3 Spool Hyd. Control Valve	1
7	P80682	Single Spool Hyd. Control Valve - (single acting for hammer)	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
**	P80530	Seal Kit - Cross 3 Spool Valve	1
8	P80599	.29 cu. in. Pump - Engine Drive (Cassappa)	1
***	P80517	Seal Kit - Cassappa Pump	1
***	P80516	Shaft Seal Only - Cassappa Pump	1
9	P80611	Honda Engine (9 H.P.) - (no Reduction Drive)	1
	P80612	Hy-Spec Engine (9 H.P.) - (no Reduction Drive)	1
10	P80585	1/2" N.P.T. Plug	1
11	P4301	1/2" x 64" Hyd. Hose c/w 1/2" Ends	1
12	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
13	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
14	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	1
15	P3033	3/4" x 46" Hyd. Hose c/w 3/4" and 1/2" Ends	4
16	P3048	1" I.D. x 58" Return Hose	1
17	P80510	Breather Cap	1
18	A70706	7/8" - 14 O.R.B. Male x 1/2" N.P.T. Female Swivel Adapter	2
19	DL9775	1/2" N.P.T. x 90 Degree Swivel Street Elbow	1
20	DL5283	3/8" N.P.T. x 90 Degree Street Elbow (Steel)	1
21	P80704	3/8" N.P.T. Male-Female Restricted Orifice Swivel (0.31)	4
22	DL9769	3/8" N.P.T. x 90 Degree Swivel Street Elbow	2
23	P80693	3/4" N.P.T. x 2" Nipple	2
24	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female 90 Degree Swivel Street Elbow	1
25	P80695	3/4" N.P.T. x 90 Degree Street Elbow	2
26	A70278	1-1/2" Hose Clamp	2
27	P80700	Oil Filter	1
28	P80699	Filter Mount	1
29	P80680	Handle	4
30	P80679	Link Kit	4
31	P80685	Handle Bracket - Cross	4
32	P80513	Hydraulic Oil Reservoir - Plastic	1
33	P80603	Pump Mount Housing	1
34	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing (Steel)	1
35	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing (Steel)	1
36	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Deg. Swivel Street Elbow	2
37	B050020	1/2" x 2" N.C. Hex Bolt	2
38	BN050L	1/2" N.C. Hex. Nylon Locknut	2
39	P80583	7/8" O.D. x 7/8" Long Space	2
40	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	8
41	P80584	3/8" N.P.T. Plug (Square Head)	1
42	---	9/16" I.D. Flatwasher	2
43	B037020	3/8" x 2" N.C. Hex Bolt	6
44	BN037	3/8" N.C. Hex Nut	6
45	BW037L	3/8" Lockwasher	6
46	---	7/16" I.D. x 1" O.D. Flatwasher	6
47	P80701	Filter and Filter Mount Assembly	1
48	B050012	1/2" x 1-1/4" N.C. Hex Bolt	2
49	BN050	1/2" N.C. Hex Bolt	2
50	BW050L	1/2" Lockwasher	2
51	P80608	Coupling Insert - 6 Spoke Type	1
52	P80609	1" Flex Coupling - 6 Spoke Type	1
53	P80610	3/4" Flex Coupling - 6 Spoke Type	1
54	P80587	Flex Coupler Complete	1
55	P80709	Relief Valve - 1500 PSI - Cross	1
56	P80604	Access Cover - Pump Mount Housing	2

MODEL 2400 POST DRIVER **HYDRAULIC SYSTEM ENGINE DRIVE** **(w/DIRECT DRIVE PUMP)** **(c/w OPTIONAL HITCH EXTENSION KIT)**



MODEL 2400 POST DRIVER
HYDRAULIC SYSTEM (ENGINE DRIVE w/DIRECT DRIVE PUMP) c/w OPTIONAL HITCH EXTENSION KIT
(after JULY 1/06)

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	281	Hammer Cylinder - 1-5/8" Dia. x 64-15/16" Stroke c/w Nuts And Mount Pad	1
2	282	2" x 12" Cylinder c/w Pins (For Hammer Tilt)	2
3	283	2" x 8" Cylinder c/w Pins (For Frame Tilt)	1
4	302	2" x 16" Cylinder c/w Pins (For Horizontal Slide)	1
5	P80511	Hydraulic Oil Reservoir - Steel	1
6	P80681	3 Spool Hyd. Control Valve	1
7	P80682	Single Spool Hyd. Control Valve	1
**	P80528	Seal Kit - Cross Single Spool Valve	1
**	P80530	Seal Kit - Cross 3 Spool Valve	1
8	P80583	7/8" O.D. x 7/8" Long Spacer	1
9	P80599	.29 Engine Drive Pump - Cassappa	1
***	P805617	Seal Kit - Cassappa Pump	1
***	P80516	Shaft Seal Only - Cassappa Pump	1
10	P80611	Honda Engine (9 H.P.) - (no reduction drive)	1
	P80612	Hy-Spec Engine (9 H.P.) - (no reduction drive)	1
11	P80585	1/2" N.P.T. Plug	1
12	P4301	1/2" x 64" Hyd. Hose c/w 1/2" Ends	1
13	P3028	1/4" x 40" Hyd. Hose c/w 3/8" Ends	1
14	P3029	1/4" x 50-1/2" Hyd. Hose c/w 3/8" Ends	1
15	P3030	1/4" x 33" Hyd. Hose c/w 3/8" Ends	2
16	P4300P	1/4" x 118" Hyd. Hose c/w 3/8" Ends	2
17	P3033	3/4" x 46" Hyd. Hose c/w 3/4" and 1/2" Ends	1
18	P3048	1" I.D. x 58" Return Hose	1
19	P3048	Breather Cap	1
20	L4043	7/8" O.R.B. Male x 1/2" N.P.T. Female Swivel Adapter	2
21	DL9775	1/2" N.P.T. x 90 Degree Swivel Street Elbow	1
22	DL5283	3/8" N.P.T. x 90 Degree Street Elbow (Steel)	4
23	P80704	3/8" N.P.T. Male-Female Restricted Orifice Swivel (0.31)	4
24	DL9769	3/8" N.P.T. x 90 Degree Swivel Street Elbow	4
25	P80693	3/4" N.P.T. x 2" Nipple	3
26	P80694	1/2" N.P.T. Male x 3/4" N.P.T. Female 90 Degree Swivel Street Elbow	1
27	P80695	3/4" N.P.T. x 90 Degree Street Elbow	2
28	A70278	1-1/2" Hose Clamp	2
29	P80700	Oil Filter	1
30	P80699	Filter Mount	1
31	P80680	Handle	5
32	P80679	Link Kit	5
33	P80685	Handle Bracket	5
34	P80603	Pump Mount Housing	1
35	P80513	Hydraulic Oil Reservoir - Plastic	1
36	P80698	3/4" N.P.T. Male x 1/2" N.P.T. Female Reducing Bushing (Steel)	1
37	P80702	1/2" N.P.T. Male x 3/8" N.P.T. Female Reducing Bushing (Steel)	4
38	P80675	1/2" N.P.T. Male x 3/8" N.P.T. Female x 90 Deg. Swivel Street Elbow	4
39	BO50020	1/2" x 2" N.C. Hex Bolt	2
40	BN050L	1/2" N.C. Hex. Nylon Locknut	2
41	P80676	1/4" N.C. x 1/2" Socket Head Capscrew	10
42	P80584	3/8" N.P.T. Plug (Square Head)	1
43	---	9/16" I.D. Flatwasher	2
44	BO37020	3/8" x 2" N.C. Hex Bolt	8
45	BN037	3/8" N.C. Hex Nut	8
46	BW037L	3/8" Lockwasher	8
47	---	7/16" I.D. x 1" O.D. Flatwasher	8
48	P80531	Single Spool Hyd. Control Valve - (double acting for hitch)	1
49	P80701	Filter and Filter Mount Assembly	1
50	P80608	Coupling Insert - 6 Spoke Type	1
51	P80609	1" Flex Coupling - 6 Spoke Type	1
52	P80610	3/4" Flex Coupling - 6 Spoke Type	1
53	BO50012	1/2" x 1-1/4" N.C. Hex Bolt	2
54	BN050L	1/2" Lockwasher	2
55	BN050	1/2" N.C. Hex Nut	2
56	P80709	Relief Valve - 1500 PSI - Cross	1
57	P80604	Access Cover - Pump Mount Housing	2
58	P80587	Flex Coupler Complete	1




MODEL 2400 POST DRIVER HAMMER CYLINDER

REF. NO.	PART NO.	DESCRIPTION	QTY. REQ'D
1	16HP1	1-5/8" O.D. x 7/8" I.D. Headplate (N5)	1
2	10OR5	1-3/4" O.D. x 1-1/2" I.D. x 1/8" O-Ring	1
3	10RS8	7/8" I.D. Rod Seal	1
4	10WS8	7/8" I.D. Wiper Seal	1
5	16PB1	1-5/8" Diameter Rod Guide	1
6	10RR1	5/8" Dia. Shaft Retaining Ring	1
7	10SH56	7/8" Diameter x 73-1/8" Long Cylinder Shaft	1
8	10NU7	3/4" - 16 U.N.F. Hex. Jam Nut (Grade 2)	2
9	10NU8	3/4" - 16 U.N.F. Hex. Nylon Locknut (Grade 5)	1
10	16TU1	1-5/8" x 69-1/4" Barrel	1
11	P80522	3/8" x 2-1/4" x 3-1/4" Mount Pad	1
12	10NU9	5/8" - 18 U.N.F. Hex. Nylon Locknut (Grade 5)	1
13	P80705	1/8" N.P.T. Square Head Plug	1


SEAL KIT - NO. 1608N5

KIT NO.	DESCRIPTION	QTY. REQ'D
10OR5	1-3/4" O.D. x 1-1/2" I.D. x 1/8" O-Ring	1
10RS8	7/8" I.D. Rod Seal	1
10WS8	7/8" I.D. Wiper Seal	1



**MODEL 2400 POST DRIVER
HYDRAULIC CYLINDERS - MONARCH (HITCH, SLIDE, and TILT)**

REF. NO.	MONARCH PART NO.	DESCRIPTION	MONARCH 2" x 8" QTY. REQ'D	MONARCH 2" x 12" QTY. REQ'D	MONARCH 2" x 16" QTY. REQ'D
1	492805	Clevis Cap (For 1" Pin)	1	1	1
2	492806	Rod Cap	1	1	1
3	492548	2" Dia. Piston	1	1	1
4	492851	Rod (8" Stroke)	1	--	--
	492853	Rod (12" Stroke)	--	1	--
	492355	Rod (16" Stroke)	--	--	1
5	491608	Tube (8" Stroke)	1	--	--
	491612	Tube (12" Stroke)	--	1	1
	491616	Tube (16" Stroke)	--	--	--
6	492216	Tie Rod (8" Stroke)	4	--	1
	492222	Tie Rod (12" Stroke)	--	4	--
	492226	Tie Rod (16" Stroke)	--	--	4
7 & 8	640091	Pin (2) (For 1" Dia.)	2	2	2
9	498006	Thread. Lock	1	1	1
10	492650	Rod Clevis (For 1" Pin)	1	1	1
11	148390	Set Screw	1	1	1
12	128230	Nut - Tie Rod	8	8	8
13	129090	Nut - Piston	1	1	1
14	196530	Plug	1	1	1
**	639572	Seal Kit (Rod Dia. 1-1/8")	1	1	1



POST GUIDE (OPTIONAL)

REF. NO.	PART NO.	DESCRIPTION	QTY REQ'D
1	P80732	Mounting Bracket	1
2	P80733	Post Holding Arm	1
3	A70157	Extension Spring	1
4	A80734	Arm Actuator	1
5	A80735	Lock Bolt	1
6	P80602	Rubber Grip	1
7	BP25200	1/4" x 2" Cotter Pin	1
8	BN100L	1" N.C. Hex Nylon Lock Nut	1
9	B062015	5/8" x 1-1/2" N.C. Hex Bolt	2
10	BW062L	5/8" Lockwashers	2
11	BN062	5/8" Hex Nut	2