



MODEL 1050 & 1250 OFFSET DISC



FRAME, HITCH AND LEVELLING CRANK - MODEL 1050

Ref. No.	Part No.	Description	Qty. Req'd
1	DFB1000	1050 Frame Complete With Cylinder Lug	1
2	DHA7073	Tongue	1
3	DHA7427	Draw Bar	1
4	DHA7074	Brace	1
5	DHA7064	Hose Support Assembly (Use 1986 and Prior)	1
6	DCA3	Levelling Crank	1
7	DH1	Compression Spring - Levelling Crank	2
8	DC15	Thrust Bearing - Tarrimen #T199	2
9	DCA5184	Bearing Tube - Levelling Crank	1
10	DH5	2" N.C. Heavy Hex Nut - Drilled For Set Screw	1
11	DCA7446	Levelling Link	1
12	DH5146	Levelling Arm Lug	1
13	DH8562	1-1/4" x 4-1/2" Hitch Pin	2
14	DH5164	1-1/2" x 11" N.C. Hex Bolt-Drilled For Cotter Pin	1
15	L2244	1" x 6-1/2" N.C. Hex Bolt-Drilled For Cotter Pin	2
16		2" O.D. x 1-1/16" I.D. x 1/4" Flatwasher	2
17	DH7077	Levelling Link Pin	1
18		1/2" x 5" N.C. Hex Bolt	4
19	DG18	3/4" x 6" U-Bolt (Use 1986 and Prior)	1

Ref. No.	Part No.	Description	Qty. Req'd
20	DH5165	1-1/2" N.C. Slotted Hex Nut	1
21	L1574	1" N.C. Finished Full Slotted Hex Nut	2
22		3/4" N.C. Hex Nut (Used 1986 and Prior)	2
23		1/2" N.C. Hex Nut	5
24		1/2" Lockwasher	5
25		5/16" x 2-1/4" Cotter Pin	1
26		3/16" x 1-1/2" Cotter Pin	2
27		1/4" x 1-1/2" Cotter Pin	6
28	10GN1	1/4" - 28 Grease Fitting	1
29	DHA5161	Hose Support	1
30	DHBS170	Hitch Jack (Optional)	1
31		1/2" x 1-1/2" N.C. Hex Bolt	1
32		1-3/4" x 9/16" I.D. Flatwasher	1
33		1/2" x 1" N.C. Square Head Set Screw	1
34		2-1/2" O.D. x 1-9/32" O.D. x 1/4" Spacer Washer	2
35	DF7027	Lock-Up Pin - Rockshaft	1
36	DW25	Hair Pin Cotter	1
37		3/4" Lockwashers (Used 1986 and Prior)	2




FRAME, HITCH AND LEVELLING CRANK - MODEL 1250

Ref. No.	Part No.	Description	Qty. Req'd
1	DFB11050	1250 Frame Complete With Cylinder Lug	1
2	DHA7073	Tongue (Used 1987 and Prior)	1
3	DHA7076	Draw Bar Assembly (Used 1987 and Prior)	1
4	DHA7074	Brace (Used For 1987 and Prior)	1
5	DHA7064	Hose Support Assembly (Used 1987 and Prior)	1
6	DCA3	Levelling Crank	1
7	DH1	Compression Spring - Levelling Crank	2
8	DC15	Thrust Bearing - Timken #T159	2
9	DCA5184	Bearing Tube - Levelling Crank	1
10	DHS	2" N.C. Heavy Hex Nut - Drilled For Set Screw	1
11	DCA5181	Levelling Link	1
12	DHS146	Levelling Arm Lug	1
13	DHS62	1-1/4" x 4-1/2" Hitch Pin	2
14	DHS164	1-1/2" x 11" N.C. Hex Bolt - Drilled For Cotter Pin	1
15	L2244	1" x 6-1/2" N.C. Hex Bolt - Drilled For Cotter Pin (Used 1987 and Prior)	1
16		2" O.D. x 1-1/8" I.D. x 1/4" Flatwasher (Used 1987 and Prior)	2
17	DH7077	Levelling Link Pin	1
18		3/4" x 6" U-Bolt - For Hose Support (Used 1987 and Prior)	1
19	DHS165	1-1/2" N.C. Slotted Hex Nut (Used 1987 and Prior)	1
20	L1574	1" N.C. Finished Full Slotted Hex Nut (Used 1987 and Prior)	2
21		1/2" x 5" N.C. Hex Bolt	4

Ref. No.	Part No.	Description	Qty. Req'd
22		1/2" N.C. Hex Nut	5
23		3/4" N.C. Hex Nut (Used 1987 and Prior)	2
24		1" N.C. Hex Nut	6
25		1" Lockwasher	6
26		3/4" Lockwasher (Used 1987 and Prior)	2
27		1/2" Lockwasher	5
28		5/16" x 2-1/4" Cotter Pin	1
29		3/16" x 1-1/2" Cotter Pin	2
30		1/4" x 1-1/2" Cotter Pin	2
31		2-1/2" O.D. x 1-9/32" I.D. x 1/4" Spacer Washer	2
32	10GN1	1/4" - 28 Grease Fitting	1
33		1/2" x 1" Square Head Set Screw	1
34	DHA5161	Hose Support	1
35	DHS170	Hitch Jack (Optional)	1
36	DHA7216	Draw Bar	1
37	DHA7224	Tongue	1
38		1/2" x 1-1/2" N.C. Hex Bolt	1
39		1-3/4" O.D. x 9/16" I.D. Flatwasher	1
40		1" x 6-1/2" N.C. Hex Bolt	6
41	DF7027	Lock-Up Pin - Rockshaft	1
42	DW25	Hair Pin Cotter	1


MODEL 1050 & 1250 OFFSET DISC



ROCKSHAFT & WHEEL - MODEL 1050

Ref. No.	Part No.	Description	Qty. Req'd	Ref. No.	Part No.	Description	Qty. Req'd
1	DRA7421	Rockshaft	1	14	DRA9	Hub c/w Cups	*
2	DR9070	Rockshaft Bearing - Top Half	3	15	DR123	Hub Cap	*
3	DR9071	Rockshaft Bearing - Bottom Half	3	16	DR125	Wheel Studs	*
4	10GN1	1/4" - 28 Grease Fitting	3	17	DR127	15" x 8" - 6 Bolt Rim	*
5	DR76	Axle Backing Plates (Used on Discs with Single Wheels)	2	18		5/8" x 6" N.C. Hex Bolt	6
6		3/4" x 5-1/2" N.C. Hex Bolt	6	19		3/4" N.C. Hex Nut	6
7	DRA8	Axle Assembly	*	20		5/8" N.C. Hex Nut	6
8	DR122	Grease Seal	*	21		3/4" Lockwasher	6
9	DR91	Cone Bearing - #LM48548	*	22		5/8" Lockwasher	6
10	DR92	Cup - #LM48510	*	23		2" O.D. x 1-1/16" I.D. x 1/8" Flatwasher	*
11	DR118	Cup - #LM25520	*	24		3/16" x 1-1/4" Cotter Pin	*
12	DR120	Cone Bearing - #LM25580	*	25	DR7120	Shim - Rockshaft Bearing	*
13	DR110	1" N.F. Slotted Hex Nut	*				

* As Required




ROCKSHAFT & WHEEL - MODEL 1250

Ref. No.	Part No.	Description	Qty. Req'd	Ref. No.	Part No.	Description	Qty. Req'd
1	DRA7241	Rockshaft	1	13	DR123	Hub Cap	4
2	DR9070	Rockshaft Bearing - Top Half	3	14	DR125	Wheel Studs	24
3	DR9071	Rockshaft Bearing - Bottom Half	3	15	DR127	15" x 8" - 6 Bolt Rim	4
4	DR7120	Shim - Rockshaft Bearing	*	16		3/4" x 5-1/2" N.C. Hex Bolt	6
5	DRA8	Axle Assembly	4	17		5/8" x 6" N.C. Hex Bolt	6
6	DR122	Grease Seal	4	18		3/4" N.C. Hex Nut	6
7	DR91	Cone Bearing #LM48548	4	19		5/8" N.C. Hex Nut	6
8	DR92	Cup #LM48510	4	20		3/4" Lockwasher	6
9	DRA9	Hub c/w Cups	4	21		5/8" Lockwasher	6
10	DR118	Cup #LM25520	4	22		2" O.D. x 1-1/16" I.D. x 1/8" Flatwasher	4
11	DR120	Cone Bearing #LM25580	4	23	10GN1	1/4" - 28 Grease Fitting	3
12	DR110	1" N.F. Slotted Hex Nut	4	24		3/16" x 1-1/4" Cotter Pin	4

* As Required

MODEL 1050 & 1250 OFFSET DISC




GANG BEAM - MODEL 1050 & 1250

Ref. No.	Part No.	Description	Qty. Req'd
1	DBS80-5F	FRONT GANG BEAM - 12" SPACING FOR MODEL 1050	
		80" Gang Beam - 13 Blade Disc (Filled With Ballast)	2
	DBS93-5F	93" Gang Beam - 17 Blade Disc (Filled With Ballast)	2
		FRONT GANG BEAM - 12" SPACING FOR MODEL 1250	
	DBS121-5F	121" Gang Beam - 21 Blade Disc (Filled With Ballast)	2
	DBS145-5F	145" Gang Beam - 25 Blade Disc (Filled With Ballast)	2
	DBS170-5F	170" Gang Beam - 29 Blade Disc (Filled With Ballast)	2
		REAR GANG BEAM - 12" SPACING FOR MODEL 1050	
	DBS84-5F	84" Gang Beam - 13 Blade Disc (Filled With Ballast)	2
	DBS108-5F	108" Gang Beam - 17 Blade Disc (Filled With Ballast)	2
		REAR GANG BEAM - 12" SPACING FOR MODEL 1250	
	DBS133-5F	133" Gang Beam - 21 Blade Disc (Filled With Ballast)	2
	DBS158-5F	158" Gang Beam - 25 Blade Disc (Filled With Ballast)	2
	DBS182-5F	182" Gang Beam - 29 Blade Disc (Filled With Ballast)	2
3	DGS780	Clamp Plate	8

Ref. No.	Part No.	Description	Qty. Req'd
4	DG163	Front Gang Beam Shim - Used to Prevent Front Gang Beams From Ridding (Not Supplied As Standard Equipment)	*
5	DGS314	7/8" x 6" U-Bolt	2
6	DG160	Thrust Block	2
7		1-1/4" x 14" N.C. Hex Bolt	8
8		7/8" N.C. Hex Nut	4
9		1-1/4" N.C. Hex Nut	8
10		7/8" Lockwasher	4
11		2-1/2" O.D. x 1-9/32" L.D. x 1/4" Flatwasher	8
12	DFA7413	Front Gang Angle Adjusting Plate - Used With Some Models Prior To 1988	1
13	DFA7422	Rear Gang Angle Adjusting Plate - Used With Some Models Prior To 1988	1
14	DF7215	Gang Angle Locking Pin - Used With Some Models Prior To 1988	2
15	DF37	Gang Angle Locking Pin	2
16		3/16" x 1-1/4" Collier Pin	*
17	DGA5348	Wrench - (For 1-1/4" Clamp Plate Bolts)	2

* As Required

MODEL 1050 & 1250 OFFSET DISC




**DISC GANG ASSEMBLY - MODEL 1050 & 1250
(FOR 214 & 410 SERIES BEARINGS)**

Ref. No.	Part No.	Description	Qty. Req'd	Ref. No.	Part No.	Description	Qty. Req'd
1	DG75	26" x 8 mm (5/16") Notched Blade	*	14		Gang Bolt - 12" Spacing c/w 7" O.D. Weld-On Washer For Discs Equipped With 26" Cone Blades	*
	DG158	26" x 8 mm (5/16") Notched Cone Blade	*		DGA190	6 Blade Gang Bolt - 69-3/4"	*
	DG20051	26" x 10 mm (.393) Notched Blade	*		DGA191	7 Blade Gang Bolt - 82"	*
2	DG133	16" x 5 mm (.197) Plain Blade - Leveller Blade	*		DGA192	8 Blade Gang Bolt - 94"	*
	DG134	20" x 5 mm (.197) Plain Blade - Leveller Blade	*		DGA193	9 Blade Gang Bolt - 106-3/4"	*
	DG61	22" x 7 mm (.275) Notched Blade - Leveller Blade	*		DGA194	10 Blade Gang Bolt - 119"	*
	DG138	24" x 8 mm (5/16") Notched Blade - Leveller Blade	*		DGA195	11 Blade Gang Bolt - 131"	*
	DG143	24" x 8 mm (5/16") Notched Blade - Leveller Blade	*		DGA196	12 Blade Gang Bolt - 143-3/4"	*
3	DG82	2" N.C. Heavy Hex. Slotted Nut	*			Gang Bolt - 12" Spacing c/w 8-1/2" O.D. Weld-On Washer For Discs Equipped With 26" Spherical Blades or 26" Spherical Blades	*
4	DG89	1/4" Shim Washer	*		DGA145	6 Blade Gang Bolt - 69-3/4"	*
5	DG88	1/2" Shim Washer	*		DGA141	7 Blade Gang Bolt - 82"	*
6	DG10591	7" O.D. Head Washer	*		DGA142	8 Blade Gang Bolt - 94"	*
7	DGAS322	Front 2" Offset Bearing Hanger - 214 and 410 Bearing	*		DGA143	9 Blade Gang Bolt - 106-3/4"	*
	DGAS323	Rear 2" Offset Bearing Hanger - 214 and 410 Bearing	*		DGA144	10 Blade Gang Bolt - 119"	*
8	DGAS318	Front Straight Bearing Hanger - 214 and 410 Bearing	*		DGA146	11 Blade Gang Bolt - 131"	*
	DGAS319	Rear Straight Bearing Hanger - 214 and 410 Bearing	*		DGA147	12 Blade Gang Bolt - 143-3/4"	*
9	DG38	214 Series Greaseable Bearing	*	15	DGA35	Socket Wrench	*
	DG108	410 Series Greaseable Bearing - Option	*	16	DGA10310	7/16" x 3" Lock Pin	*
10	DGB5335	214 Series Housing Complete With Bearing and Grease Fitting	*	17		5/8" x 2-1/4" N.C. Hex Bolt	*
	DG109	410 Series Housing Complete With Bearing and Grease Fitting - Option	*			5/8" x 2-1/2" N.C. Hex Bolt - For Sand Guard	*
11	DGA11080	Short Half Spool - 7" O.D. Washer x 5-5/8" Long - (For Discs Equipped With 26" Cone Blades and 214 Bearings)	*	18		5/8" N.C. Hex Nut	*
	DGA11082	Short Half Spool - 8-1/2" O.D. Washer x 5-1/8" Long - (For Discs Equipped With 410 Bearings)	*	19		5/8" Lockwasher	*
	DGA10573	Short Half Spool - 8-1/2" O.D. Washer x 5-5/8" Long - (For Discs Equipped With 410 Bearings)	*	20	DG5314	7/8" x 6-3/8" Long U-Bolt	*
	DGA11083	Short Half Spool - 7" O.D. Washer x 5-1/8" Long - (For Discs Equipped With 26" Cone Blades and 410 Bearings)	*	21		7/8" N.C. Hex Nut	*
	DGA10564	Long Half Spool - 7" O.D. Washer x 4-15/16" Long	*	22		7/8" Lockwasher	*
12	DGA11081	Full Spool - 12" Spacing With 7" Diameter Washer Both Ends (For Discs Equipped With 26" Cone Blades)	*	23	DGA11086	Gang Bolt End Washer - 7" O.D. (Weld-On) (For Discs Equipped With 26" Cone Blades)	*
	DGA10561	Full Spool - 12" Spacing With 8-1/2" Diameter Washer On One End	*	24	DGA11085	Gang Bolt End Washer - 8-1/2" O.D. (Weld-On)	*
					DGA40	Sand Gang - Front (California Only)	*
					DGA39	Sand Gang - Rear (California Only)	*

* As Required

MODEL 1050 & 1250 OFFSET DISC




DISC GANG ASSEMBLY - MODEL 1050 & 1250 (FOR T2-215 TRUNION MOUNTED BEARING)

Ref. No.	Part No.	Description	Qty. Req'd	Ref. No.	Part No.	Description	Qty. Req'd
1	DG75	26" x 8 mm (5/16") Notched Blade	*		DGA194	10 Blade Gang Bolt - 119"	*
	DG158	26" x 8 mm (5/16") Notched Cone Blade	*		DGA195	11 Blade Gang Bolt - 131"	*
2	DG20051	26" x 10 mm (.393) Notched Blade	*		DGA196	12 Blade Gang Bolt - 143-3/4"	*
	DG133	18" x 5 mm (.197) Plain Blade - Leveller Blade	*			Gang Bolt - 12" Spacing Complete With 8-1/2" O.D. Weld-On Washer For	*
	DG134	20" x 5 mm (.197) Plain Blade - Leveller Blade	*			Discs Equipped With 26" Spherical Blades or 28" Spherical Blades	*
	DG61	22" x 7 mm (.275) Notched Blade - Leveller Blade	*		DGA145	6 Blade Gang Bolt - 69-3/4"	*
	DG138	24" x 8 mm (5/16") Notched Blade - Leveller Blade	*		DGA141	7 Blade Gang Bolt - 82"	*
	DG143	24" x 8 mm (5/16") Notched Blade - Leveller Blade	*		DGA142	8 Blade Gang Bolt - 94"	*
3	DG82	2" N.C. Heavy Hex Slotted Nut	*		DGA143	9 Blade Gang Bolt - 106-3/4"	*
4	DG89	1/4" Shim Washer	*		DFA144	10 Blade Gang Bolt - 119"	*
5	DG88	1/2" Shim Washer	*		DGA146	11 Blade Gang Bolt - 131"	*
6	DGA10591	Head Washer	*		DGA147	12 Blade Gang Bolt - 143-3/4"	*
7	DGA10582	Trunion Type Bearing Hanger - (12" Spacing)	*	20	DGA35	Socket Wrench	1
8	DG89900	Heavy Duty Industrial Type T2-215 Trunion Mounted Bearing Assembly	*	21	DGA10310	7/16" x 3" Lock Pin	*
	DG89800	Tapered Roller Trunion Mounted Bearing Assembly (Used 1988 and Prior)	*	22	DGA9801	Tapered Roller Bearing Housing (Used 1988 and Prior)	*
9	DG9901	Heavy Duty Industrial Type T2-215 Bearing Housing	*	23	DG9805	Seal (Federal Mogul #417354) (Used 1988 and Prior)	*
10	DG9905	Bearing Seal (National #200322)	*	24	DG9803	Tapered Roller Bearing Cup (NTN #4T-492A) (Used 1988 and Prior)	*
11	DG9904	Modified #6215 Ball Bearing	*	25	DG9804	Tapered Roller Bearing (NTN #4T-497) (Used 1988 and Prior)	*
12	DG9906	5" Sleeve	*	26	DG9806	Tapered Roller Bearing Sleeve (Used 1988 and Prior)	*
13	DG9902	Bearing Housing Cap	*	27	DG9807	0.005 Shim - Blue (Used 1988 and Prior)	*
14	DG9910	External Snap Ring (Phillip French Sales #FD1400-75)	*		DG9808	0.007 Shim - Smoke (Used 1988 and Prior)	*
15	DG9911	External Snap Ring (Phillip French Sales #FD1300-130)	*	28	DG9809	0.020 Shim - Yellow (Used 1988 and Prior)	*
16	DGA11079	Short Half Spool - 7" O.D. Washer x 2-1/2" Long (For Discs Equipped With 26" Cone Blades)	*	29	DG9802	Tapered Roller Bearing Housing Cap (Used 1988 and Prior)	*
	DGA10562	Short Half Spool - 8-1/2" O.D. Washer x 2-1/8" Long	*	30	DG9810	Trunion Mounted Bearing Support Plate (For Tapered Roller Bearing) (Used 1988 and Prior)	*
17	DGA10564	Long Half Spool - 7" O.D. Washer x 4-15/16" Long - For T2-215 Bearing Only	*	31	DG5314	7/8" x 6-3/8" Long U-Bolt	*
	DGA10574	Long Half Spool - 7" O.D. Washer x 4-7/16" Long - For Tapered Roller Bearing Only (Used 1988 and Prior)	*	32		5/8" x 10" N.C. Hex Bolt (T2-215 Bearing Only)	*
18	DGA11081	Full Spool - 12" Spacing With 7" Diameter Washer On Both Ends (For Discs Equipped With 26" Cone Blades)	*	33		7/8" N.C. Hex Nut	*
	DGA10561	Full Spool - 12" Spacing With 8-1/2" Diameter Washer On One End	*	34		5/8" N.C. Hex Nut	*
19		Gang Bolt - 12" Spacing Complete With 7" O.D. Weld-On Washer For Discs Equipped With 26" Cone Blades	*	35		7/8" Lockwasher	*
	DGA190	6 Blade Gang Bolt - 69-3/4"	*	36		5/8" Lockwasher	*
	DGA191	7 Blade Gang Bolt - 82"	*	37	DG9912	1/4" - 28 x 1/2" Socket Set Screw	*
	DGA192	8 Blade Gang Bolt - 94"	*	38	10GN1	1/4" - 28 Grease Fitting	*
	DGA193	9 Blade Gang Bolt - 106-3/4"	*	39	DG10590	Sand Guard (California Only)	*
				40	DGA11086	Gang Bolt End Washer - 7" O.D. (Weld-On) For Discs Equipped With 26" Cone Blades	*
				41	DGA11085	Gang Bolt End Washer - 8-1/2" O.D. (Weld-On) For Discs Equipped With 28" Cone Blades	*
						5/8" x 2" N.C. Hex Bolt (Used 1988 and Prior)	*

* As Required

MODEL 1050 & 1250 OFFSET DISC





OPTIONAL STONE FLEX HANGER FOR 214 OR 410 SERIES BEARINGS (FOR DISCS WITH 26\"/>

Ref. No.	Part No.	Description	Qty. Req'd	Ref. No.	Part No.	Description	Qty. Req'd
1	DG38	214 Series Greaseable Bearing	*	7	DGA5328	Backing Plate	*
	DG108	410 Series Greaseable Bearing	*	8	DGS325	7/8" x 7-5/8" Long U-Bolt	*
2	DGB5335	214 Series Greaseable Bearing c/w Housing	*	9	DGS313	1-1/4" x 2-1/2" Spring Shank	*
	DG109	410 Series Greaseable Bearing c/w Housing	*	10		7/8" Lockwasher	*
3	DGA5324	Mounting Bracket For 214 and 410 Series - Standard Stone Flex Hanger Use With Shim Ref. #19 (Used On Discs Shipped Prior To July 15, 1968)	*	11		7/8" N.C. Hex Nut	*
4	DGA5376	Mounting Bracket For 214 and 410 Series - 1-1/2" Offset Stone Flex Hanger	*	12		3/4" N.C. Hex Nut	*
5	DGA5341	Mounting Bracket - For 214 and 410 Series - 2-1/2" Offset Mounting Bracket.	*	13		3/4" Lockwasher	*
6	DGA5333	Scrapor Bar Support Bracket - For 1-1/2" Offset Mounting Bracket. Also Used On Discs Shipped Prior To July 15, 1969 Which Used Mounting Bracket #DGA5324.	*	14		5/8" Lockwasher	*
	DGA5336	Scrapor Bar Support Bracket - For 2-1/2" Offset Mounting Bracket - Rear Gang Only	*	15		3/4" x 3-1/2" N.C. Hex Bolt	*
	DGA5337	Scrapor Bar Support Bracket - For 2-1/2" Offset Mounting Bracket - Front Gang Only	*	16	10GN1	1/4" - 28 Grease Fitting	*
				17		5/8" x 2-1/4" N.C. Hex Bolt	*
						5/8" x 2-1/2" N.C. Hex Bolt - For Sand Guard	*
				18		5/8" N.C. Hex Nut	*
				19	DGS332	Shim - Used On Discs Shipped Prior To July 15, 1968	*
				20		3/4" x 4-1/2" N.C. Hex Bolt - Used Only When Shim #DGS332 is Used (Used Prior To July 15, 1968)	*

* As Required

MODEL 1050 & 1250 OFFSET DISC




OPTIONAL STONE FLEX HANGER FOR TRUNION MOUNTED BEARING (FOR DISCS WITH 26" DIAMETER BLADES ONLY)

Ref. No.	Part No.	Description	Qty. Req'd
1	DGB9900	Heavy Duty Industrial Type T2-215 Trunion Mounted Housing c/w Bearings, Seals, Sleeve, Snap Rings and Cap (See Disc Gang Assembly For Bearing Breakdown)	*
2	DGB9800	Heavy Duty Industrial Type Tapered Roller Trunion Mounted Housing c/w Bearings, Seals, Sleeve, Shims, Cap and Bolts (See Disc Gang Assembly For Bearing Breakdown) (Used 1988 and Prior)	*
3	DGA10570	Standard Mounting Bracket For Trunion Mounted Bearing	*
4	DGA10575	2" Offset Mounting Bracket For Trunion Mounted Bearing	*
5	DGS313	1-1/4" x 2-1/2" Spring Shank	*
6	DGA5333	Scraper Bar Support Bracket - Standard Hanger	*
	DGA5336	Scraper Bar Support Bracket - For 2" Offset Mounting Bracket - Rear Gang Only	*
	DGA5337	Scraper Bar Support Bracket - For 2" Offset Mounting Bracket - Front Gang Only	*
7	DGA5328	Backing Plate	*

Ref. No.	Part No.	Description	Qty. Req'd
8	DGS325	7/8" x 7-5/8" Long U-Bolt	*
9		5/8" x 10 N.C. Hex Bolt (For T2-215 Bearing Only)	*
10		3/4" x 3-1/2" N.C. Hex Bolt	*
11		5/8" N.C. Hex Nut	*
12		3/4" N.C. Hex Nut	*
13		7/8" N.C. Hex Nut	*
14		5/8" Lockwasher	*
15		3/4" Lockwasher	*
16		7/8" Lockwasher	*
17		1/4" - 28 Grease Fitting	*
18	DG9810	Trunion Mounted Bearing Support Plate (Tapered Roller Bearing Only) (Used 1988 and Prior)	*
19		5/8" x 2" N.C. Hex Bolt (Tapered Roller Bearing Only) (Used 1988 and Prior)	*

* As Required



SCRAPER ASSEMBLY

Ref. No.	Part No.	Description	Qty. Req'd
1	DGA10592	Scraper - 12" Spacing - Front Gang Only	*
2	DGA10593	Scraper - 12" Spacing - Rear Gang Only	*
		SCRAPER BARS FOR 12" SPACING	
	DS72-2-4	6 Blade Gang Scraper Bar - 72-1/2"	*
	DS84-2-4	7 Blade Gang Scraper Bar - 84-1/2"	*
	DS96-2-4	8 Blade Gang Scraper Bar - 96-1/2"	*
	S109-2-4	9 Blade Gang Scraper Bar - 109"	*
	S121-2-4	10 Blade Gang Scraper Bar - 121-1/2"	*

* As Required

Ref. No.	Part No.	Description	Qty. Req'd
	S133-2-4	11 Blade Gang Scraper Bar - 133-1/2"	*
	S146-2-4	12 Blade Gang Scraper Bar - 146"	*
3	DG235	Scraper Bar Support Plate - 12" Spacing (Not Used With Discs Equipped With Stone Flex Hangers)	*
4	DG5309	5/8" x 2" Long U-Bolt	*
5		5/8" N.C. Hex Nut	*
6		5/8" Lockwasher	*